## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.




(2.39

## ARISTOCRATS

for the GARDEN

1934



EVERGREENS
RHODODENDRONS
MOUNTAINLAUREL
AZALEAS
FLOWERING CRABS
SHADE TREES
FLOWERING SHRUBS
GROUND COVERS
VINES and
HERBACEOUS PERENNIALS

HARLAN P. KELSEY, INC.
EAST BOXFORD . MASSACHUSETTS



## How to Reach Kelsey-Highlands Nursery



### VISITORS WELCOME!

Kelsey-Highlands Nursery is located at East Boxford, Massachusetts, 28 miles north of Boston, at East Boxford Station, B. & M. R. R. It is readily reached by good automobile roads from any part of New England. From Boston, take either Newburyport Turnpike, turning West at Topsfield on Massachusetts Route 97, or Reading Turnpike turning East at North Andover. Other distances are: Salem, 13 miles; Lawrence, 11 miles; Haverhill, 9 miles; Newburyport, 12 miles; Lowell 20 miles; Ipswich 9 miles.

#### BEFORE ORDERING

Please read *carefully* the Instructions for Placing Orders on Pages 2 and 3, and remember that WHEN CASH ACCOMPANIES ORDER a discount of 10 per cent may be taken.

One to four plants of same variety and size at the each rate, five to twenty-four at the 10 rate, twenty-five or more at the 100 rate, when hundred rate is given.

No variation of this schedule will be allowed, due to the time required to assemble an order of small lots.

### 1885 - 1934



### HARLAN P. KELSEY, INC.

KELSEY-HIGHLANDS NURSERY, EAST BOXFORD, MASS.

Address Telegrams: Harlan P. Kelsey, Inc., East Boxford, Mass. Telefones: Topsfield 71 and 72.

Harlan P. Kelsey, Inc., with its three hundred acres of the finest nursery stock, its modern buildings and equipment and its Landscape Department, is an institution that supplies the finest of ornamental nursery stock and is equipped to give the best in service.

The aim of Harlan P Kelsey, Inc., is to supply only the best and at a cost that is commensurate with value. This is made possible through nearly half a century of horticultural and business experience, and through having a competent personnel and adequate equipment.

Many of America's choicest ornamentals have been introduced to cultivation by Harlan P. Kelsey, including Carolina Hemlock, Pinkshell Azalea, Korean Chrysanthemum, Galax, Grays Lily, Carolina Rhododendron, White Carolina Rhododendron, Kelsey Catawba Rhododendrons, Kelsey Locust, Oconee-bells and Featherfleece.

Kelsey-Highlands Nursery specializes in Hardy Native American Plants and Specimen Evergreens and in the newer and rarer plants. All stock is individually grown, with plenty of light, air and nourishment, producing sturdy specimens having excellent root systems. Our ornamental material includes the best Evergreens, Broadleaf Evergreens, Deciduous Trees, Shrubs and Flowering Plants for the gardens of today.

# HARLAN P. KELSEY, INC. LANDSCAPE ARCHITECTS

The growing of finer plants is a business demanding a specialized knowledge. The proper planning and designing of home sites is an entirely distinct field and requires a different type of training and point of view.

HARLAN P. KELSEY, Inc., has a staff of men trained and experienced in Landscape Architecture in order to insure a successful home grounds development which will combine beauty and convenience with economy of construction and maintenance.

They are competent to solve each individual problem—be it the planting of a corner of a small home or the designing of a great park, estate or other large scale project. You will find these men glad to help you.

# IMPORTANT PLEASE READ CAREFULLY

#### INSTRUCTIONS FOR PLACING ORDERS

SHIPPING SEASON begins in Spring, when frost leaves the ground, usually March 15 to June 1. August planting of Specimen Evergreens—Rhododendrons, Kalmias, Leucothoes, Conifers and many Bulbs and Herbaceous Plants—has proved most successful, general stock going out again from September to December.

Shipping Instructions should be given, otherwise we use our best judgment but assume no risk. All shipments travel at purchaser's risk, and carriers must be held liable for any damage in transit. All stock becomes the property of the purchaser on delivery to transportation company or carrier.

PRICES are made to fit the quality of the stock shipped. Discriminating buyers now realize that the greatest value of nursery stock is underground. Frequent transplanting and handling specimens with adequate burlapped balls, means success and quick results. It costs more, but it is the fixed policy of Harlan P. Kelsey, Inc., and "cheap" stock will not be handled or sent out. The best is always the cheapest.

SPECIAL SELECTION. Stock specially selected at Nursery or ordered by mail will be charged at advance prices to fit the value of the stock selected. The prices in this catalog cover the average good grades as they run in the nursery row.

TRUCK DELIVERY. Where the size of order warrants, there are distinct advantages in auto-truck delivery for distances up to 50 miles, and we make large deliveries up to 250 miles. Stock arrives quickly and just when wanted, and is delivered fresh on the grounds, saving local trucking and unpacking. Charges are made according to size of truck and distance traveled.

PACKING CHARGES. At prices printed in this catalog, boxing, balling and burlapping is free, except where small sizes of deciduous stock is balled and burlapped by special request. In such cases a charge to cover cost is made as follows

BURLAPPING CHARGES—	Each
Small sizes	. \$0.15
2 to 3 ft. clumps and trees	20
3 to 4 ft. clumps and trees	25
4 to 6 ft. clumps and trees	35
6 to 8 ft. clumps and trees	50
Larger sizes at corresponding rates.	

On orders to the Trade, packing cost and B. & B. is always charged.

Larger sizes are billed in proportion. Where large evergreens are shipped on "platforms," a suitable charge will be made to cover cost.

QUARANTINE. The Federal Horticultural Board has proclaimed a practically complete embargo on all Foreign Trees and Shrubs and most Herbaceous Plants. Our Native Trees and Plants are hardier, freer from diseases, and more "fitting" in our landscapes. Still the best exotics can and now will be grown in America for Americans.

All stock leaving the Nursery bears certificate of inspection, showing it to be absolutely free from injurious pests or disease.

PLANT INSURANCE. No guarantee—expressed or implied—is made that stock will grow, whether planted by us or not. As we have no control over after-treatment or weather conditions, the purchaser must assume all risks after stock leaves our Nursery in good condition. On request, we insure stock for a specified period at a rate covering estimated hazard.

TERMS. Cash or satisfactory reference from unknown customers. All accounts are due the first of each month, unless by special arrangement. Five at 10 rate, 25 at 100 rate, 250 at 1,000 rate. 10 per cent discount may be taken only WHEN CASH ACCOMPANIES THE ORDER. When not taken, extra plants will be sent to cover such discount.

Claims for errors must be made on receipt of goods. If there is any mistake or fault on our part it will be gladly rectified.

#### HARLAN P. KELSEY, INC. KELSEY-HIGHLANDS NURSERY

Post Office, Freight and Telegraf, East Boxford, Mass.

Express, Georgetown, Mass.

Telefone, Topsfield, Mass., 71

### ... Contents ...

					PAGE
Instructions for Placing Order	rs .	, ,		•	. 2
Evergreens			•	•	. 4
Broadleaf Evergreens .					. 12
Rhododendrons					. 15
Deciduous Trees and Shrubs				•	. 17
Azaleas				•	. 19
Vines, Creepers and Climbers				•	. 46
Hardy Herbaceous Perennials				•	. 48
Index					. 56

<sup>&</sup>quot;Standardized Plant Names" is authority for all names used in this catalog

## EVERGREENS

The charm of evergreens is in their variety of forms and their dependability in giving beauty of color all year round.

Properly chosen for each particular location, evergreens have a place of importance in every planting. Their judicious use, along with the broadleaf evergreens and deciduous trees and shrubs, makes for attractiveness at all times. In Winter the otherwise harsh and bleak landscape is enlivened and given a feeling of warmth by the soft beauty and gentle lines of evergreens properly placed.

Care must be used in the choice, location and spacing of evergreens, for many, like the Hemlocks and the Firs will reach an eventual hight of thirty to one hundred feet, while the Yews, some of the Arborvitaes and many of the Junipers are dwarf or spreading in habit.

More plantings are spoiled through crowding than through planting too sparsely—remember this, and allow plenty of room for future growth.

We are glad to assist you in your selection of evergreens—if the descriptions, which are necessarily quite abbreviated, do not give you clear enough pictures of the plants, write to us and we will gladly tell you more about them.

Note.—The hights given immediately after the names are approximate hights reached by the trees and shrubs under most favorable conditions, first under cultivation, and then as observed in their native habitat, particularly the larger varieties.

ABIES, Fir		Each	10	100
arizonica,	CORK FIR			
	6-9 in.	.75	6.75	
	WHITE FIR,			
Blue or	green leaves,	pyramidal	growth.	
	18-24 in.	2.00	18.00	162.00
	2-3 ft.	3.00	27.00	240.00
	3-4 ft.	5.00	45.00	405.00
	4-5 ft.	7.00	63.00	
	5-6 ft.	9.00	81.00	
	6-8 ft.	12.00	108.00	
	8-10 ft.	16.00		
	RASER FIR.			
Superio	r to Northern	Balsam Fi	r.	
	12-18 in.	.75	6.75	60.00
	18-24 in.	1.50	13.50	120.00
	$2-2\frac{1}{2}$ ft.	2.00	18.00	162.00
	2½-3 ft.	3.00	27.00	240.00
	3-4 ft.	4.00	36.00	324.00
	4-5 ft.	6.00	54.00	
	5-6 ft.	9.00	81.00	
homolepis	, NIKKO FII			
	9-12 in.	.50	4.50	39.00
	12-18 in.	.75	6.75	60.00

ADIES OF I	273 - 1-	10	100
ABIES, Continued	Each	10	100
veitchi, VEITCH	FIR. 60-80	ft.	
One of best Firs	-broad pyr	amidal habit.	Very hardy.
18-24 in.	1.50	13.50	
$2-2\frac{1}{2}$ ft.	2.00	18.00	
$2\frac{1}{2}$ -3 ft.	3.00	27.00	
	4.00		
4-5 ft.		54.00	
5-6 ft.	8.00	72.00	
6-8 ft.			
0 0 10,	10.00	00,00	
CHAMAECYPARIS,	Cypress an	d Retinospora.	
obtusa, HINOKI (			
Dark green lust:			
12-18 in.		4.50	39.00
	1.00		81.00
$2-2\frac{1}{2}$ ft.			120.00
2½-3' ft			162.00
. –	3.00		240.00
4-5 ft.			405.00
5-6 ft.		$\begin{array}{c} 45.00 \\ 72.00 \end{array}$	400,00
	8.00		
pisifera, SAWARA	A RETINOS	SPORA. 40-10	0 ft.
One of the best	and hardie	est of the Ret	insporas.
18-24 in.	.75	6.75	
2-2½ ft.	1.25	11.25	
$2\frac{1}{2}$ -3 ft.	1.75	15.75	•
3-4 ft.	2.50	22.50	
4-5 ft.	3.75	33.75	
5-6 ft.	5.25	47.25	
6-7 ft.	7.50	67.50	
pisifera aurea, GC			OSPORA.
		13.50	
pisifera filifera, T	HREAD R	ETINOSPORA	
$3\frac{1}{2}$ -4 ft.	4.00	36.00	
pisifera plumosa,	PLUME RI	ETINOSPORA	. 12-20 ft.
-		9.00	
		13.50	
2½-3 ft.	2.00	18.00	162.00
3-4 ft.		27.00	
pisifera squarrosa			15-30 ft
Feathery branch	•		10-50 16.
-	6.00		
5-6 11.	8.00	72.00	
JUNIPERUS, Junip	er Redoeda	r and Savin	
chinensis pfitzeria	na, PFITZE	ER JUNIPER.	3-5 ft.
Horizontally spi	reading bra	nches—grayish	-green.
12-18 in.	1.25	11.25	102.00
18-24 in.	1.75	15.75	141.00
2-2½ ft	2.50	22.50	
, –		29.25	
,-			HINDED
chinensis pyramid	•		JUNIPER.
		18.00	
chinensis sargenti	, SARGENT	T JUNIPER.	6 in. to 1 ft.
Dense mats of	bright gree	n foliage.	
9-12 in.	1.75	15.75	
12-18 in.			
18-24 in.			
chinensis viridis.	3,00		
	# #0	10.50	
18-24 in.	1.50	13.50	
columnaris.			
2-3' ft.	2.00	18.00	
communis cracovi	ca. POLISH	JUNIPER	
18-24 in.			
10-24 111.	1.50	10.00	

		, , , ,	
JUNIPERUS, Continued	Fach	10	100
communis depressa, Pr			100
Very hardy and thriv			
	.75	6.75	60.00
	1.00	9.00	81.00
2-2½ ft.			120.00
$2\frac{1}{2}$ -3 ft.			162.00
3-4 ft.	3.00	27.00	240.00
4-5 ft.	5.00	45.00	
communis suecica, SWI	EDISH .	JUNIPER.	
12-18 in.		4.50	39.00
18-24 in.		6.75	60.00
2-2½ ft.			
excelsa stricta, GREE			
12-15 in.	.75	6.75	
horizontal plumosa.	· 4-33	71	,
Depressed shrub, hor 9-12 in.			cnes.
sabina, SAVIN.	.75	6.75	
A green foliaged spr	eading s	tano	
9-12 in.		6.75	
sabina tamariscifolia,			
Low spreading, brigh			
9-12 in.	.75	6.75	60.00
12-18 in.			
squamata meyeri, MEY			
9-12 in.		11.25	
virginiana, REDCEDAF	30-10	0 ft.	
Hardy columnar New	Englan	d type.	
2-3 ft.		13.50	120.00
3-4 ft.	2.50	22.50	200.00
4-5 ft.	3.50	31.00	280.00
5-6 ft.	4.50	40.00	360.00
6-7 ft.	6.00	54.00	486.00
virginiana glauca, SIL\ Steel-blue foliage.	VER RE	DCEDAR. 20-40	) ft.
3-4 ft.	5.00	45.00	
4-5 ft.	7.00	63.00	
virginiana keteleeri.	•••	00.00	
Intense green foliage	e-symm	etrical growth.	
2-3 ft.	3.00	27.00	
3-4 ft.	4.50	40.00	
PICEA, Spruce.			
asperata. 60-100 ft.			
Rare; most vigorous		Spruce. Broadly	y pyrami <mark>d</mark> al
6-9 in.	1.00	9.00	
9-12 in.	1.50	13.50	
4-5 ft.	22.50		
5-6 ft. 6-7 ft.	$35.00 \\ 50.00$		
7-8 ft.	75.00		
8-9 ft.	100.00		
canandensis (alba; glau		HITE SPRUCE	60-120 ft.
Dense habit, suitable			00-120 It.
12-18 in.	.50	4.50	39.00
18-24 in.	.75	6.75	60.00
$2-2\frac{1}{2}$ ft.	1.00	9.00	81.00
2½-3 ft.	1.50	13.50	120.00
3'-4 ft.	2.50	22.50	200.00
4-5 ft.	3.50	31.00	282.00
	4.75	42.75	384.00
		54.00	
canadensis albertina, Al	LBERTA	(BLACK HILL:	S) SPRUCE
50-160 ft. Pyran			
12-18 in.	.50	4.50	39.00
18-24 in. 2-3 ft.	1.00	9.00	81.00
2-0 It.	1.50	13.50	120.00

PICEA, Continued	Each	10	100
DWARF ALBERTA			
Very dwarf cone-s			
6-9 in.	1.00	9.00	
9-12 in.	1.50	13.50	
12-15 in.	2.00	18.00	
15-18 in.	2.50	22.50	
engelmanni, ENGEL			0 ft
Leaves bluish-gree			o it.
12-18 in.	1.00	9.00	81.00
18-24 in.	1.50	13.50	120.00
$2-2\frac{1}{2}$ ft.	2.00	18.00	162.00
$2\frac{1}{2}$ -3 ft.	2.50	22.50	202.00
3-4 ft.	4.00	36.00	324.00
4-5 ft.	6.00	54.00	
excelsa, NORWAY S	PRUCE. 40	0-150 ft.	
Spreading branche	s—rapid gro	owth.	
18-24 in.	.75	6.75	60.00
2-3 ft.	1.00	9.00	81.00
3-4 ft.	1.50	13.50	120.00
4-5 ft.	2.50	22.50	202.50
5-6 ft.	3.50	31.50	282.00
jezoensis, YEDDO S	PRUCE.		
9-12 in.	1.50	13.50	
jezoensis hondoensis		SPRUCE.	
12-18 in.	3.00	27.00	
koyamai, KOYAMAI	SPRUCE.	40-60 ft.	
Native of Korea a			amidal growth
12-18 in.	1.00	9.00	81.00
18-24 in.	1.50	13.50	120.00
2-3' ft.	2.25	20.25	182.00
3-4 ft.	3.75	33.00	
4-5 ft.	6.00	54.00	
5-6 ft.	8.00		
omorika, SERBIAN			
The finest species	for northern	latitudes.	Narrow pyram
idal head.	4 55	<b>7</b>	440.00
9-12 in.	1.75	15.00	140.00
12-18 in.	3.00		0 100 64
pungens, GREEN C			0-100 It.
One of the best o	.75	s. 6.75	60.00
18-24 in.	1.25	11.25	102.00
$2-2\frac{1}{2}$ ft.			141.00
$2\frac{1}{2}$ -3 ft.	2.50	$\frac{13.73}{22.50}$	202.50
3-4 ft.	3.50	31.50	282.00
4-5 ft.	5.00	45.00	
5-6 ft.	7.00	63.00	
6-7 ft.	10.00	90.00	
pungens glauca, BL	UE COLORA	ADO SPRUC	E. 80-100 ft.
Bluish-white folia	ge.		
12-18 in.	1.75	15.00	140.00
18-24 in.	2.50	22.50	202.50
· ·	3.50	31.50	282.00
$2\frac{1}{2}-3$ ft.	4.50	40.50	363.00
3-4 ft.	6.00	54.00	486.00
4-5 ft.	9.00	81.00	
5-6 ft.			40 400 0
pungens kosteri, KC			40-160 ft.
18-24 in.		36.00	
12-14 ft. s 14-16 ft. s			
14-16 ft. sj 16-18 ft. sj			
18-20 ft. s			
20-22 ft. s			

		•	
PINUS, Pine	Each	10	100
densiflora, JAPANE			
Handsome, ornan			
	1.25		100.00
	1.75		140.00
4-5 ft.	2.25	20.25	182.00
5-6 ft.	4.00		
flexilis, LIMBER P	INE. 45-50		
Usually low, with	spreading br	ranches, dark	green leaves
White Pine Group			
2-3 ft.	<b>1.</b> 50	13.50	
3'-4 ft.	2.25	20.25	
4-5 ft.	3.75	33.00	
5-6 ft.	5.25	47.00	
	<b>7.</b> 50	67.00	
8-10 ft.		90.00	
jeffreyi, JEFFREY			
	1.75		
3-4 ft.			
4-5 ft.		36.00	
	6.00		
koraiensis, KOREA			
Slow growth; one			
Pine Group. 2½-			00
montana mughus, N			
For foundation			
shrubberies; thriv			lear the sea-
shore or inland, a			00.00
	pread .50 pread 1.00	$\frac{4.50}{9.00}$	39.00
15-18 in. s		11.25	81.00 102.00
	pread 1.25 pread 2.00		162.00
	pread 3.00	27.00	240.00
$2\frac{1}{2}$ -3 ft. s <sub>1</sub>		36.00	
	pread 5.00		405.00
monticola, WESTER			
Slow growing in			
rower and denser			te Tine, mai-
3-4 ft.	2.25	20.25	
4-5 ft.			
5-6 ft.	5.25	47.00	
6-8 ft.	6.75	60.00	
nigra, AUSTRIAN I	PINE. 40-100	) ft.	
Vigorous, of regui			g branches.
18-24 in.	<b>1.</b> 25	1 <b>1.</b> 25	100.00
2-3 ft.	<b>1.</b> 75	15.00	140.00
3-4 ft.	3.00	27.00	240.00
4-5 ft.	5.00	45.00	405.00
5-6 ft.	7.00	63.00	567.00
6-7 ft.			
pungens, TABLE M			
Picturesque dark-	foliaged spe	cies, usually	of irregular
growth. Large bi			efinitely.
4-5 ft.	5.00	45.00	
5-6 ft.		67.50	
resinosa, RED PINE			
Vigorous growth,			
2-3 ft.	1.25	11.25	102.00
	2.00		162.00
4-5 ft.	3.00	27.00	
	4.00		
of rapid growth			
Of rapid growth, 1 2-3 ft.	picturesque i 1.50		100.00
2-3 ft. 3-4 ft.	$\frac{1.50}{2.00}$	13.50 $18.00$	120.00
4-5 ft.	3.00	27.00	162.00
5-6 ft.	5.00	45.00	
6-8 ft.	8.00	72.00	

8.00

6-8 ft.

PINUS, Continued	Each	10	100
•			100
sylvestris, SCOTCH I			wht nod
Picturesque, spread			
2-3 ft.		9.00	81.00
3-4 ft.	2.00		162.00
4-5 ft.	3.00	27.00	240.00
		36.00	324.00
	6.00	54.00	
tabulaeformis (funebi	ris), JAPA	NESE UMBR	ELLA PINE.
3-4 ft.			
thunbergi, JAPANES	E BLACK	PINE. 60-100	ft.
Winter buds, silver			
2-3 ft.		22.50	
	3.75	33.75	
4-5 ft.		54.00	
5-6 ft.	9.00	81.00	
PSEUDOTSUGA.	<b>FID FO</b> 9	000 ft	
douglasi, DOUGLAS			habit Manre
A pyramidal tree			
hardy and one of the			
2-3 ft.	1.75	15.75	141.00
3-4 ft.	2.50	22.50	202.50
4-5 ft.	3.50		282.00
	5.00		405.00
6-7 ft.	8.00	72.00	
7-8 ft.	11.00	99.00	
TAXUS, Yew.			
canadensis, CANADA	YEW.		
6-9 in.	.50	4.50	39.00
9-12 in.	1.00	9.00	81.00
12-15 in.	1.50	13.50	120.00
15-18 in.	2.00	18.00	162.00
	2.50	22,50	
cuspidata, JAPANES	E VEW		
9-12 in.	1.00	9.00	81.00
12-15 in.	1.50	13.50	120.00
12-13 III. 15-18 in.	$\frac{1.50}{2.00}$	18.00	162.00
18-24 in.	$\frac{2.50}{2.50}$	22.50	202.00
2-2½ ft.			324.00
• –		54.00	524.00
2½-3 ft.		90.00	
3'-3½ ft.			
cuspidata (upright fo			
12-15 in.			120.00
15-18 in.	2.00		162.00
18-24 in.			202.00
$2-2\frac{1}{2}$ ft.			324.00
cuspidata nana, DWA			
Shrubby form of pr			growth.
12-15 in.		18.00	
15-18 in.		27.00	
media hicksi, HICKS			
Distinct, narrow co	lumnar fo		
6-9 in.	1.00	9.00	
9-12 in.	1.50	13.50	120.00
	2.25	20.25	
THUJA, Arborvitae.			
AMERICAN PYRAM		RBORVITAE	(occidentalis
pyramidalis). 8			
Narrow, pyramidal	_		
18-24 in.	.75	6.75	60.00
2-3 ft.	1.25	11.25	102.00
3-4 ft.	2.00	18.00	162.00
4-5 ft.	3.00	27.00	240.00
5-6 ft.	4.00	36.00	32 <b>4</b> .0 <b>0</b>
8-9 ft.	12.00	108.00	

mn 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		77	10	100
THUJA, Co				100
			BORVITAE.	
			9.00	
	2-3 ft.	2.00		
			27.00	
	•		BORVITAE.	60 ft.
For hed	ges and w			04.00
	2-3 ft.		9.00	81.00
	3'-4 ft.			141.00
	4-5 ft.			
			31.50	
	6-7 ft.	4.50		
			54.00	486.00
	is boothi.			
	15-18 in.	1.50	13.50	
occidental	is ellwang	jeriana, T	OM THUMB	ARBORVITAE.
Low bro	oad pyram	idal form.		,
	18-24 in.	1.00	9.00	
	2-3 ft.	2.00	18.00	
occidental	is alohosa	AMERIC	CAN GLOBE	ARBORVITAE.
	-			formal effects.
	12-15 in.		6.75	
	15-18 in.	1.00		
			13.50	01,00
			ARBORVIT	AE.
	dense ovat			0.0.00
	12-15 in.		4.50	
	15-18 in.			60.00
			BORVITAE.	
			18.00	
	$2-2\frac{1}{2}$ ft.		22.50	
	$2\frac{1}{2}$ -3 ft.		31.50	
			45.00	<u></u>
			RVAENE A	RBORVITAE.
Bronze	Winter ef			
		2.50		
		3.50		
	5-6 ft.			
	6-8 ft.	7.50	67.50	
occidenta	lis warean	a, WARE	(SIBERIAN	) ARBORVITAE.
		*		shiny, blue-gre <b>e</b> n
foliage.				
	18-24 in.	1.00	9.00	
	2-2½ ft.	1.50	13.50	
	2½-3 ft.	2.00	18.00	
	3-4 ft.	3.00		
plicata, G	HANT AR	BORVITA	E.	
•	18-24 in.		9.00	
	2-3 ft.	2.00	18.00	
ROSENT	HAL ARB	ORVITAE	•	
	ıs dark gre			
	_	3.00		
	3-4 ft.	5.00	45.00	
	4-5 ft.			
TSUGA, H				
· ·		A HEML	OCK. 40-100	ft.
	•			s or for hedges
	severe cli		ost planting	,5 of for neuses
Deanus	18-24 in.		9.00	81.00
			13.50	
	$2\frac{1}{2}$ 1t. $2\frac{1}{2}$ 1t.		18.00	162.00
	3-4 ft.	3.00		
			27.00	240.00
	4-5 ft.	4.00	36.00	324.00
	5-6 ft.	6.00	54.00	486.00

6-7 ft.

7-8 ft.

8.00

10.00

72.00

90.00

648.00

TSUGA, Continued Each

10

100

#### caroliniana, CAROLINA HEMLOCK. 30-70 ft.

Introduced to cultivation by Harlan P. Kelsey. "The finest Hemlock of them all." Unique in habit, with dark, dense, tufted foliage on sweeping pendulous branches. It is hardier and more adapted to trying city atmospheres than the Canada Hemlock and seems to thrive in southern latitudes where the latter becomes thin, yellow and unsightly.

12-18	in.	1.25	11.25	102.00
18-24	in.	2.00	18.00	162.00
2-21/2	ft.	2.50	22.50	202.00
21/2-3	ft.	3.50	31.50	282.00
3 - 4	ft.	6.00	54.00	
5-6	ft.	15.00	135.00	*
6-7	ft.	20.00	180.00	1,620.00
7-8	ft.	25.00	225.00	2,020.00
8-9	ft.	35.00	315.00	2,820.00
9-10	ft.	45.00	405.00	3,620.00
10-11	ft.	55.00	495.00	4,455.00
11-12	ft.	70.00	630.00	5,670.00
12-14	ft.	90.00	810.00	



CAROLINA HEMLOCK "The Finest Hemlock of them all"

## BROADLEAF EVERGREENS

## ANDROMEDAS, KALMIAS, LEUCOTHOE, RHODODENDRONS, ETC.

Probably no ornamentals have become more deservedly popular than the Broadleaf Evergreens. Their beauty of flower and foliage merits your consideration and promises added possibilities in the land-scaping of your grounds.

All of the species that we list—and most of them are natives of the United States—are perfectly hardy as far north as Quebec, if given proper soil conditions and exposure or location.

Mass plantings of Rhododendrons, Mountainlaurel and Andromedas, with "filler" or "edging" plants, such as Leucothoe, Heather, Rose Daphne and Sandmyrtle, are greatly desired and probably show these Broadleaf Evergreens at their best. Such ground covers as Bearberry, Canby Pachistima and Japanese Pachysandra carpet the shady spaces luxuriantly.

Our long experience in growing and planting Broadleaf Evergreens is at the service of customers at all times.

#### ARCTOSTAPHYLOS

Each

10

100

uvaursi, BEARBERRY. April-July.

Perhaps the finest ground cover, as it thrives equally well in sandy or loamy soils, forming a dense, low mat of dark green foliage. Pink bell-shaped flowers and scarlet berries.

Pot Grown Plants:

6-9 in. .30 2.70 24.00 9-12 in. .50 4.50 39.00

BERBERIS.

julianae, WINTERGREEN BARBERRY.

9-12 in. .50 4.50

BUXUS.

koreana, KOREAN BOX. 2 ft.

This dwarf variety has proved hardy in Northern Massachusetts, for low hedges and edging flower beds.

3-6 in. .40 3.60 32.00

CALLUNA, Heather.

Entirely hardy in New England, blooming in July and August. There are no more charming ground covers. They thrive in peaty, sandy soil of acid reaction and do not object to an open sunny location. Fine for rockeries.

Pot Grown Plants:

 4-6 in.
 .30
 2.70
 24.00

 6-9 in.
 .40
 3.60
 32.00

vulgaris, HEATHER. 1-3 ft.

Flowers rosy-pink in dense racemes. 4-6 in., 6-9 in. vulgaris alba, WHITE HEATHER. 2 ft. Variety with pure white flowers. Sizes 4-6 in., 6-9 in.

Variety with pure white flowers. Sizes 4-6 in., 6-9 in. vulgaris alba elata, TALL WHITE HEATHER. 2 ft. White flowers. Sizes, 4-6 in., 6-9 in.

#### CALLUNA, Continued.

vulgaris alba pilosa. 18 in.

White flowers. Hairy foliaged type. Sizes 4-6 in., 6-9 in.

vulgaris alporti, ALPORT HEATHER, 18 in.

Crimson flowers; greyish leaves. Sizes, 4-6 in., 6-9 in.,

vulgaris argentae, SILVER-TIPPED HEATHER. 18 in. Silver-tipped. Pink flowers. Sizes, 4-6 in.

vulgaris cuprea, BRONZE HEATHER. 8 in.

Pink flowers; gold and bronze foliage. Sizes, 4-6 in., 6-9 in.

vulgaris erecta. 2 ft.

White flowers. Sizes, 4-6 in., 6-9 in.

vulgaris hammondi, HAMMOND HEATHER. 18 in.

White flowers. Upright. Sizes, 4-6 in., 6-9 in.

vulgaris hirsuta, WOOLLY HEATHER.

Pink flowers, velvety greyish foliage. Sizes 4-6 in., 6-9 in.

vulgaris hypnoides. 1 ft.

Deep pink flowers. Size, 4-6 in.

vulgaris multiplex.

Pink flowers. Size, 4-6 in.

vulgaris nana, MOSS HEATHER. 6 in. Very compact. Purple flowers. Size, 4-6 in.

vulgaris rigida, BRUSH HEATHER.

White flowers. Size, 4-6 in.

vulgaris rubra, RED HEATHER. 18 in.

Deep red flowers. Size, 4-6 in.

vulgaris searli, SEARLE HEATHER. 18 in.

White flowers. Tall, loose, feathery growth. Late flowering. Size, 4-6 in.

vulgaris spicata. 18 in.

Deep pink flowers. Sizes, 4-6 in., 6-9 in.

COTONEASTER

Each

10

100

horizontalis, ROCK COTONEASTER. 2-3 ft.

Pink. June. Low spreading shrub, suitable for rockeries.

Pot Grown Plants:

3-6 in.	.30	2.70	24.00
6-9 in.	.50	4.50	39.00
9-12 in.	.75	6.75	

horizontalis perpusilla.

Pot Grown Plants:

3-6 in.

.30 2.70

microphylla, ROCKSPRAY.

Pot Grown Plants:

3-6 in. .30 2.70 6-9 in. .50 4.50

DAPHNE, Daphne.

cneorum, ROSE DAPHNE. 1-3 ft. Spread. Pink, all summer. Beautiful low hardy shrub; fragrant pink blessoms nestling among the green leaves. Fine for rockeries.

9-12 ii	175	6.75	60.00
12-18 in	1.25	11.25	100.00

#### EPIGAEA.

#### repens, TRAILING ARBUTUS (MAYFLOWER).

Thrives best in light humus soil in shady locations. White to rose-colored flowers in early Spring, exhaling a rich, spicy fragrance. Extremely difficult to transplant from the wild.

5.40

Pot Grown plants: .60

ERICA, Heath.

Each

10

100

#### Carnea, SPRING HEATH.

Low spreading, rosy-red flowers with dark red anthers. Pot Grown Plants:

3-6 in. .30 2.70 24.00 6-9 in. .50 4.50

GALAX, Galax.

aphylla. 8-12. in. White. May.

Beautiful heart-shaped leaves, turning brilliant scarlet when exposed to the sun. Splendid ground cover for Rhododendron bed, and wildwood planting.

Clumps

.50

4.50

#### 1LEX, Holly.

glabra, iNKBERRY. 6-8 ft. Very hardy. Black fruit. 9-12 in. .75 6.75 60.00

12-18 in. 1.25

11.25

100.00

#### KALMIA, Kalmia.

#### angustifolia, LAMBKILL. 2-4 ft.

Beautiful small crimson flowers in abundance. Prefers peaty soil.

9-12 in. clumps

.30

2.70

#### latifolia, MOUNTAINLAUREL.

In May and June its clustered masses of white or blush flowers represent a gorgeous spectacle. It prefers sandy, loamy soil.

9-12 in.	.60	5.40	48.00
12-15 in.	1.00	9.00	81.00
15-18 in.	1.25	11.25	102.00
18-24 in.	1.75	15.00	140.00
2-3 ft.	2.50	22.50	

#### LEDUM, Labrador-Tea.

groenlandicum, TRUE LABRADOR-TEA.

6-9 in.

.30

2.70

24.00

#### LEIOPHYLLUM, Sandmyrtle.

buxifolium prostratum, ALLEGHENY SANDMYRTLE.

April-June. Very compact and prostrate.

3-6 in.

.50

 $\dot{4}.50$ 

#### LEUCOTHOE, Leucothoe.

catesbaei, DROOPING LEUCOTHOE. 3-8 ft. White. April, May.

Invaluable as border or undershrub in Rhododendron and Azalea plantings. Foliage turns rich bronze in Fall.

 12-18 in. clumps
 1.25
 11.15
 100.00

 18-24 in. clumps
 1.75
 15.00
 140.00

 2-3 ft. clumps
 2.75
 24.00
 221.00

#### MITCHELLA, Partridgeberry.

#### repens, PARTRIDGEBERRY.

Native trailing evergreen. Shiny leaves. Small white fragrant flowers in June and July. Scarlet berries remain through Winter.

Pot Grown Plants

.30

2.70

24.00

#### PACHISTIMA, Pachistima.

canbyi, CANBY PACHISTIMA. 6-10 in. Reddish.

Dainty, low shrub, forming dense evergreen carpet.

3-6 in. .35 3.15 28.00 5-9 in. .50 4.50 39.00

#### PACHYSANDRA, Pachysandra.

terminalis, JAPANESE PACHYSANDRA. 6-9 in. Whitish. May.

Hardy ground cover. Useful for bordering walks and drives under evergreen shrub planting.

Pot Grown Plants. .25

1.75

KELSEY-HIGHLANDS NURSERY 15 PIERIS, Andromeda. 10 100 Each MOUNTAIN ANDROMEDA. 2-6 ft. White. floribunda, April. Dense, much-branched shrub with nodding flowers. Perfectly hardy. 9-12 in. 1.00 9.00 81.00 12-15 in. 1.25 11.25 102.00 15-18 in. 1.75 15.75 141.00 18-24 in. 3.00 27.00240.00 $2-2\frac{1}{2}$  ft. 4.50 40.50 363.00  $2\frac{1}{2}$ -3 ft. 486.00 6.0054.00japonica, JAPANESE ANDROMEDA, 5-6 ft. White. May. Thick, shiny leaves, turning bronze in Winter. 9-12 in. 1.00 9.0081.00 12-15 in. 1.25 102.00 11.25 15-18 in. 1.75 15.75 18-24 in. 3.00 27.00 POTENTILLA, Cinquefoil. tridentata, WINELEAF CINQUEFOIL. Prostrate. White. Evergreen creeper; glistening foliage taking on brilliant claret color in Autumn. Pot Grown Plants .30 2.70 24.00 RHODODENDRON, Rhododendron. carolinianum, CAROLINA RHODODENDRON. 4-8 ft. May. A clear pink American species introduced by Harlan P. Kelsey many years ago. Entirely hardy and fine for massing on hillside and in rockeries. 12-18 in. clumps 1.5013.50 120.00 18-24 in. clumps 2.25 20.25182.00 240.00 2-3 ft. clumps 3.0027.00carolinianum album. 3-6 ft. May-June. Pure white form. Introduced by Harlan P. Kelsey. 18-24 in. 2.25 20.25 2-3 ft. clumps 3.7533.00 3-4 ft. clumps 7.5067.00 12.00 4-5 ft. clumps 108.00 catawbiense, CATAWBA RHODODENDRON. 20 ft. June. The hardiest Rhododendron and the one which supplied color and hardiness to the cultivated hybrids. Color, bright red-purple but with considerable variation. 9-12 in. .756.7560.0012-18 in. 1.25 11.25 100.00 18-24 in. clumps 2.2520.25182.00 2-3 ft. clumps 3.7533.00 295.005.25 3-4 ft. clumps 47.00catawbiense compacta, KELSEY CATAWBA RHODODEN-**DRON.** 4-12 ft. A dense, distinct growing variety discovered and introduced by Harlan P. Kelsey. 9-12 in. 1.25 102.00 11.25 catawbiense, SEEDLING HYBRIDS, Unnamed. 6-20 ft. From seed gathered from the choicest named hybrids. 2.00 12-18 in. 18.00 162.0018-24 in. 2.75221.00 24.002-3 ft. 4.0036.00dahuricum, DAHURIAN RHODODENDRON. 6-10 ft.

18-24 in. 2.5022.50 laetivirens, WILSON RHODODENDRON. 2.00 9-12 in.

12-18 in.

flowers one inch across in early April.

Leaves deciduous or sometimes persistent. Rose-colored

Each

10

100

RHODODENDRON, Continued.

#### maximum, ROSEBAY RHODODENDRON. 10-40 ft.

June-July. The white or pink-tinged flowers and lateblooming habit make this species invaluable.

12-18 in. clumps	1.25	11.25	100.00
18-24 in. clumps	2.00	18.00	162.00
2-3 ft. clumps	2.75	24.00	221.00
3-4 ft. clumps	4.00	36.00	324.00
4-5 ft. clumps	6.00	54.00	

## micranthum, MANCHURIAN RHODODENDRON. 6-7 ft. White. May.

A distinct open-growing species, resembling the Ledum or Labrador-tea.

9-12 in.	1.25	11.25
12-18 in.	2.00	18.00
18-24 in.	2.50	

#### minus, PIEDMONT RHODODRENDON.

2-3 ft. 2.50 22.50 3-4 ft. 4.00 36.00

## mucronulatum, KOREAN RHODODENDRON. 6 ft. March-April.

Asiatic species. Flowers rose-colored. Handsome scarlet Fall coloring.

9-12 in.	1.25	11.25	100.00
12-18 in.	2.00	18.00	162.00
18-24 in.	2.50	22.50	202,00

#### smirnovi, SMIRNOW RHODODENDRON

9-12 in. \$2.00 \$18.00 12-18 in. 4.00 36.00

#### SHORTIA.

#### glacifolia, OCONEE-BELLS. 6-9 in. White. April.

Beautiful and rare low evergreen, with galax-shaped leaves and white, bell-shaped flowers in earliest Spring.

Clumps .60 5.40

#### VINCA, Periwinkle.

#### minor, COMMON PERIWINKLE. April-July.

Hardy evergreen trailing herb. Flowers lilac-blue. A splendid ground cover.

Strong plants .25 1.75 15.00

#### minor alba, WHITE COMMON PERIWINKLE.


Strong plants .30 2.40 21.00

#### YUCCA, Yucca.

#### filamentosa, COMMON YUCCA. White. June-July.

Narrow evergreen leaves. Immense pyramidal clusters of creamy-white flowers on long stalk.

Strong plants .30 2.40 21.00



KELSEY CATAWBA RHODODENDRON

## **DECIDUOUS** TREES AND SHRUBS

The deciduous trees and shrubs listed are varieties that have proved of merit for planting as far north as northern New England and many are hardy in southern Canada.

The choice of varieties depends on the location and the type of planting. We offer many trees that are unexcelled for lawn, park and street planting, while the flowering shrubs, relatively inexpensive, are useful in mass plantings, shrub borders, and in foundation plantings with the evergreens and broadleaf evergreens. There are some flowering shrubs to add color to each season and those that fruit attract great numbers of birds.

Note.—The hights given immediately after the names are approximate hights reached by the trees and shrubs under most favorable conditions, first under cultivation, and then as observed in their native habitat. Color of flowers and time of bloom are given, unless the flowers are inconspicuous or lacking.

ACER, Maple.

Each

10

100

dasycarpum, SILVER MAPLE. 60-100 ft. May.

Large, rapid growing tree for quick effects.

 $3-3\frac{1}{2}$  in. cal., 16-18 ft. 6.00

ginnala, AMUR MAPLE. 12-20 ft. May.

Yellowish fragrant flowers.

2-3 ft.

negundo, BOXELDER. 40-60 ft.

Rapid-growing, bright green foliage.

5-6 ft. .756.756-8 ft. 1.00 9.00 8-10 ft. 1.25 11.25

81.00

palmatum, JAPANESE MAPLE. 20-25 ft.

A small tree. Deeply-lobed green leaves, turning bright red in Autumn.

> 2-3' ft. 1.50 13.50 120.00 3-4 ft. 2.25 20.25 182.00

pennsylvanicum, STRIPED MAPLE. 20-40 ft. Yellow.

Slender tree. Beautiful green-striped bark.

4-5 ft. 6.75.7560.00 1.25 5-6 ft. 11.25 100.00 6-8 ft. 1.50 13.50

platanoides, NORWAY MAPLE. 100 ft. Yellowish green. April-May. One of the best street trees-very free from disease.

- Olli Gibothol.			
6-8 ft.	1.50	13.50	120.00
1 in. to $1\frac{1}{4}$ in.			
cal. 8-10 ft.	2.00	18.00	162.00
$1\frac{1}{2}$ in. to $1\frac{3}{4}$ in.			
cal. 10-12 ft.	3.00	27.00	240.00
1¾ in. to 2 in.			
cal. 12-14 ft.	4.00	36.00	

platanoides schwedleri, SCHWEDLER MAPLE. 40-60 ft. Leaves bright red when young, changing to dark green.

5-6 ft. 1.50 13.50 22.50 6-8 ft. 2.50

ACER, Continued,	Each	10	100
pseudoplatanus, SYC			
4-5 ft.			
5-6 ft.	1.00		
6-8 ft.			
8-10 ft.	2.00		
rubrum, RED MAPL			
Flowers red or sc			h. Foliage turns
brilliant scarlet or 5-6 ft.	orange 1.00		
6-8 ft.			
1¼ in. to 1½ in.		20.00	
cal. 8-10 ft.		18.00	
$1\frac{3}{4}$ in. to $2$ in.			
cal. 10-12 ft.	3.00		
saccharum, SUGAR			
April. Upright, d		wth. Foliag	e bright scarlet
and orange in Au		9.00	81.00
5-6 ft.	1.00	13.50	
8-10 ft.	$\frac{1.30}{2.25}$		182.00
spicatum, MOUNTA			
June. Valuable u scarlet.			
2-3 ft.	.60	5.40	48.00
3'-4 ft.	.75		
tataricum, TATARI			
8-10 ft.	1.75	15.75	
WIER MAPLE. 10-12 ft.	2.50	22.50	
12-14 ft.	3.00	22.00	
AESCULUS.			
hippocastanum, HOF	RSECHES		
1-2 ft	.50	4.50	
AILANTHUS.			
glandulosa, AILANT			en).
3-4 ft. 4-5 ft.		3.60 $5.40$	
5-6 ft.	1.00		
6-8 ft.		3.00	
AMELANCHIER, Sha			
laevis, ALLEGHEN		BLOW. 20-40	ft. White. May.
·	1.00		
		13.50	
	2.00		
	3.00		6 15 ft White
oblongifolia, THICK Early May. Shruk			
Often incorrectly s			
tree type.	7 24 200 771		
18-24 in.		3.60	
2-3 ft.		• 5.40	
stolonifera, RUNNIN			
Attractive dwarf,	spreads	to form low	thickets. Purple
fruit in Summer. 18-24 in.	.40	3.60	32.00
AMORPHA, False-ind		5.00	52.00
fruticosa, INDIGOB	_	20 ft. May,	June.
Purple-blue flower			
2-3 ft.	.30	2.70	
	.40		0. 77.
tennesseensis, TENN	VESSEE	INDIGO. 4-5	ft. Violet-purple.
June. 2-3 ft.	.30	2.70	
3-4 ft.	.40	3.60	
4-5 ft.	.60	5.40	

4-5 ft.

.60

THE TEAM BO	NORSERY		19
ARALIA, Aralia.	Each	10	100
cordata, UDO.			
18-24 in.	.30	2.70	
2-3 ft.		3.60	
spinosa, DEVILS-WA			
3-4 ft.			
4-5 ft.			
5-6 ft			
ARONIA, Chokeberry.			
arbutifolia, RED CH dish. April-May.			hite or red-
		4.50	20.00
	.60		
		5.40	48.00
atropurpurea, PURPL			
2-3 ft.	.50	4.50	39.00
melanocarpa, BLACI	K CHOKEE	BERRY. 4-8	ft. White.
April-May. Shining	g black frui	t.	
2-3 ft.	.50	4.50	39.00
3-4 ft.	.60	5.40	48.00
melanocarpa grandiflo	ra, GREAT	BLACK CHO	OKEBERRY.
2-3 ft.	.40	3.60	
3-4 ft.	.60	5.40	

ARTEMISIA, Wormwood.

arborescens. 5-8 ft. Yellowish. July.

Aromatic shrub with silvery-white branches.

3-4 ft.

.40

3.6

### AZALEAS

We list only the native and most hardy exotic varieties. These acid-soil loving plants mass well with the broadleaf evergreens and are distinct and beautiful additions to any planting. Though not evergreen they are closely related to the rhododendrons and require similar soil conditions and care.

#### AZALEA, Azalea.

arborescens, SWEET AZALEA. 5-15 ft. White and pink. June-July. Delightfully spicy, fragrant white flowers with pink stamens appear in profusion, lasting for weeks. The foliage colors striking shades of red in late Autumn.

9-12 in.	.75	6.75	60.00
12-15 in.	1.25	11.25	100.00
15-18 in. clumps	1.50	13.50	120.00
18-24 in. clumps	2.00	18.00	162.00
2-3 ft. clumps	3.00	27.00	240.00
3-4 ft. clumps	5.50	49.50	

calendulacea, FLAME AZALEA. 6-15 ft. Orange shades. May, June. The most regal of all the species, native or exotic, and a noble representative of our rich Carolina mountain flora. Flowers of the finest red-lead, orange, and bright gold, as well as yellow and creamcolor.

9-12	in.	.75	6.75	60.00
12-15	in.	1.25	11.25	100.00
15-18	in.	1.50	13.00	120.00
18-24	in.	2.00	18.00	162.00
2-3	ft.	2.50	22.50	
3-4	ft.	4.00	36.00	
4-5	ft.	5.50	49.50	

canescens, PIEDMONT AZALEA. 3-10 ft. Deep pink. April-May. Quite fragrant.

 15-18 in. clumps
 1.25
 11.25
 100.00

 18-24 in. clumps
 2.00
 18.00
 162.00

 2-3 ft. clumps
 2.75
 24.00

20	-	HAF	RLAN	Ρ.	KELSEY	, Inc
AZALEA, Continued.	Each		10	)	10	00
gandavensis, GHENT						
	1.75		15.7	5		
18-24 in.			22.5	)		
japonica, JAPANESE		<b>EA</b> . 6	ft.	Apr	il-May.	
Flowers salmon-red,						
9-12 in.	1.00		9.00		81.0	00
12-15 in.	1.50		13.50		120.0	
15-18 in.	2.00		18.0			
18-24 in.						00
kaempferi, TORCH AZ				oril-	May.	
Bright orange-red flo						
9-12 in.	1.25		11.2			
12-15 in.	2.00		18.0			
	2.50		22.50			
18-24 in.			27.0			
LOUISA HUNNEWEL		edling			Large or	ange
red flowers.	4 00		0.0	^		
	1.00		9.00			
12-15 in.	1.50		13.50			
	2.00					
nudiflora, PINXTERBL						
Beautiful clear pink, Azalea vaseyi.	bloom	ing ve	ery ea	ırly,	just follo	owin
15-18 in.	1.50		13.5	)		
18-24 in.	2.50		22.50	0		
2-3 ft.	3.00		27.0	0		
pentaphylla, FIVE-LE. April, May. Orange						
15-18 in.	5.00		45.0	)		
poukhanensis, KOREA May. Unique among				3 <b>f</b> 1	t. Purple	-lilac
9-12 in.	1.25		11.2	ă	100.0	00
12-15 in.						
15-18 in.				_		
rosea, DOWNY PINX				s ft	Rose.	Mav
June.	, ,,,,,			, 20	. 100201	2.200
	.75		6.7!	5	60.0	00
9-12 in. 12-15 in.	1.25		11.2		120.0	
	2.00				120,0	
	3.00		27.0			
schlippenbachi, ROYAL					Mar	
						otto
Large pale rose-coloreddish brown.						
	2.00		18.00		162.0	
12-15 in.	3.00		27.00	)	240.0	00
vaseyi, PINKSHELL A	ZALE	A. 6-3	15 ft.			
Introduced by Harla white, pink or deep 1 April or May before	rose-co	olored	flowe			
12-15 in.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		)	120.0	10
12-15 In. 15-18 in.	$\frac{1.30}{2.00}$		18.00		162.0	
15-18 in. 18-24 in.			27.00		240.0	
2-3 ft.	4.00		36.00		210.0	
		10 10			to Tune	. T111r
viscosa, SWAMP AZA Quite fragrant.		10-12				
15-18 in. clumps	.60		5.40		48.0	
18-24 in. clumps	1.25		11.25		100.0	00
2-3 ft. clumps	1.50		13.5	)		

BERBERIS, Barberry. Each 10 100 aggregata pratti, PRATT BARBERRY. 6-10 ft. Yellow flowers, red fruit. 18-24 in. .45 4.00 brachypoda. 5-8 ft. Yellow flowers. Blood-red fruit. Large leaves. 12-18 in. .40 3.60 .60 18-24 in. 5.40 emarginata. 3-4 ft. Yellow. April-May. Densely-branched dwarf variety with deep-red elongated fruit. 18-24 in. 1.00 9.00 koreana, KOREAN BARBERRY. 6-7 ft. Yellow. Broad bright green leaves change to deep red in Autumn. 18-24 in. 1.00 9.00 thunbergi, JAPANESE BARBERRY. 3-8 ft. Pale yellow. April-May. Large red fruit. Brilliant Fall coloring. .20 12-18 in. 1.40 9.00 18-24 in. .251.80 12.00 thunbergi maximowiczi, CORAL BARBERRY. 3-8 ft. Brilliant fruit and coloring. 12-18 in. thunbergi minor, BOX BARBERRY. 2-3 ft. Very Dwarf form. .35 12-15 in. vernae, VERNA BARBERRY. 4-6 ft. Yellow. May. Graceful spreading shrub. 9-12 in. .40 3.60 .50 12-15 in. 4.50 BETULA, Birch. alba, EUROPEAN WHITE BIRCH. 60 ft. Shining white bark. 4-6 ft. .756.756-8 ft. 1.25 11.251.50 8-10 ft. 12.50 10-12 ft. 2.50 22.50 CUTLEAF WEEPING BIRCH. 60 ft. 4-5 ft. 2.00 nigra, RIVER BIRCH. 50-90 ft. Conspicuous and graceful with reddish bark. Likes moist and sandy soil. 3-4 ft. .60 5.40 48.00 .80 4-5 ft. 7.20 64.00 5-6 ft. 1.00 9.00 6-8 ft. 1.50 13.50 8-10 ft. 2.00 papyrifera, CANOE BIRCH. 60-100 ft. Very white trunk and loose graceful head when older. 4-5 ft. .75 6.7560.00 5-6 ft. 1.25 11.25 6-8 ft. 1.50 13.50 8-10 ft. 18.00 CALYCANTHUS, Sweetshrub. floridus, COMMON SWEETSHRUB. 7-12 ft. Fragrant, reddish-brown flowers in June-July. 2.70 18-24 in. BUDDLEIA, Butterflybush.

alternifolia.

10-15 ft.

18-24 in.

Lilac-purple.

.50

June.

39.00

10

Each

arborescens, SIBERIAN PEATREE. 8-20 ft. Yellow. May-

100

CARAGANA, Pea-shrub.

June.

5.40 3-4 ft. .60 4-5 ft. .75 6.759.00 5-6 ft. 1.00 RUSSIAN PEA-SHRUB. 10 ft. Bright yellow. frutex, June-July. Very hardy; from Russia and Siberia. 1-2 ft. .40 3.60 2-3 ft. .60 5.40 CARPINUS, Hornbeam. betulus, EUROPEAN HORNBEAM. 65-70 ft. Makes an excellent hedge or a fine lawn tree. 60.00 2-3 ft. .756.753-4 ft. 9.00 1.00 4-5 ft. 1.50 13.50 5-6 ft. 2.5022.50 carolininana, AMERICAN HORNBEAM. 15-40 ft. Bushy tree, rarely 40 ft. Slender branches and dark bluish-green foliage. Fine hedge plant. 2-3 ft. .40 3.6032.0048.00 3-4 ft. 5.40.60 9.0081.00 1.00 4-5 ft. 120.00 5-6 ft. 1.5013.506-8 ft. 2.5022.50CASTANEA, Chestnut. pumila, CHINQUAPIN. 20-45 ft. A spreading shrub or small tree. Sweet pointed edible nut scarcely half size of common chestnut. 1-2 ft. 5.40 48.00 .60 .80 7.20 2-3 ft. CERCIS, Redbud. canadensis, AMERICAN REDBUD. 15-35 ft. Rosy pink. April-May. 3-4 ft. 6.75.75 11.254-5 ft. 1.25 CHIONANTHUS, Fringetree. virginica, WHITE FRINGETREE. 5-30 ft. White. May-June. 1-2 ft. 6.75.75CLADRASTIS, Yellow-wood. lutea. 40-60 ft. White. June-July. A charming native tree with loose drooping panicles of fragrant flowers in Summer. .40 3.60 32.00 2-3 ft. .60 3-4 ft. 5.40 6-8 ft. 3.50CLETHRA, Clethra. acuminata, CINNAMON CLETHRA. 8-20 ft. White. July-Upright growth. Cinnamon colored bark. August. 1-2 ft. .40 3.60 alnifolia, SUMMERSWEET. 3-15 ft. July-September. White fragrant flowers in erect panicled racemes. 1-2 ft. .30 2.70.45 4.00 2-3 ft 3-4 ft. .60 5.40barbinervis, TREE CLETHRA. 15-40 ft. Fragrant white

July-August.

2-3 ft.

3-4 ft.

2-3 ft.

2.00

3.00

.50

tomentosa, WOOLLY CLETHRA. 4-8 ft. White. August-

4.50

flowers.

September.

NELSET-MATERIOS	······		
	Each	10	100
COLUTEA, Bladder-ser	nna.		
media. 8-16 ft. Bro May-July.	wnish-red	or deep or	ange flowers.
18-24 in.	.40	3.60	
CORNUS, Dogwood.			
alba sibirica, CORAL	DOGWOOD	6-10 ft.	White. July.
Branches bright co			
2-3 ft.	.30	2.70	
3-4 ft.	.40	3.60	
alternifolia, PAGODA Curious whorled k pedicels.			
2-3 ft.	.50	4.50	39.00
3-4 ft.	1.00	9.00	81.00
amomum, SILKY D	ogwood.	3-10 ft. Ye	llowish-white.
June-July. Purple partly white.	branches.	Fruit blu	e, sometimes
3-4 ft.	.40	3.60	
florida, FLOWERING Wonderful show in	n early Spr	ing with its	s pure white-
bracted flowers an			60.00
2-3 ft. 3-4 ft.	$\begin{matrix} .75 \\ 1.25 \end{matrix}$	6.75 $11.25$	102.00
3-4 It. 4-5 ft.	$\frac{1.25}{2.00}$		102.00
5-6 ft.	3.00	27.00	
florida rubra, REDF			10-25 ft
Pink. May.			. 10-20 ic.
2-3 ft.	1.75	15.75	
3-4 ft.	2.25	20.25	
4-5 ft.	$\begin{array}{c} 3.50 \\ 5.00 \end{array}$	31.50 $45.00$	
5-6 ft.			
Native of Japan, creamy-white floral lasting for over a	Korea and al heads bl	Northern (	China. Dense, mid-June an <b>d</b>
	.50	4.50	
1-2 ft. 2-3 ft.	1.00	9.00	
			ham aharra
kousa chinensis. 15 2-3 ft. 3-4 ft.	-20 ft. Lar 1.00 2.00	ger leaves t 9.00	nan above.
paniculata, GRAY		6_19 ft N	Tay-Tune
White panicled fic	wers. Whi	te fruit on 1	
Autumn. Good fo			
1-2 ft.	.30	2.70 $3.60$	
2-3 ft.			ft Organish
sanguinea, BLOODT white. May-June.	Purple or	dark-red bra	anches.
2-3 ft.		2.70	
3-4 ft.		4.50	
stolonifera, REDOS May-June. Dark	blood-red b	ranches; wh	t. Dull white. ite fruit.
2-3 ft.	.30	2.70	
3-4 ft.	.40	3.60	
. stolonifera, GOLDE			8 ft.
2-3 ft.	.30	2.70	
3-4 ft.	.40	3.60	
CORYLUS, Hazelnut.	3-10 ft.		
americana, AMERI	CAN HAZE	LNUT. 3-10	ft. Good for
under cover.			
2-3 ft.	.60	5.40	48.00
3-4 ft.	.75	6.75	

		Each	10	100
COTONEA	STER, Coton			
acutifolia	, PEKING C	OTONEAS	STER. 6-8 ft.	White and
pink.			Black fruit.	
	12-18 in.		2.70	24.00
	18-24 in. 2-3 ft.	.60	$\begin{array}{c} 3.60 \\ 5.40 \end{array}$	32.00
acutifolia			oit with large	r foliage.
	in. Pot grow			101100300
	in. Pot grow		5.40	
18-24	in. Pot grow			
	2-3 ft. 6-8 ft.		$\begin{array}{c} 9.00 \\ 36.00 \end{array}$	
apiculata			ne. Scarlet f	ruit.
·		.40	3,60	
	9-12 in.	.60	5.40	
		LMORIN	COTONEASTE	ER. 6 ft.
	flowers.	40	9. 60	
	in. Pot grow in. Pot grow		$\frac{3.60}{5.40}$	
			R. 6 ft. Fin	kish June
	arching bra			and
	in. Pot grow		4.50	
	in. Pot grow			
			NEASTER,	6 ft. Pink.
	Bright red f in. Pot grow		4.50	39.00
	in. Pot grow		6.75	60.00
	. 6-10 ft. P		une.	
Black	fruit; foliage	turns brig	ght scarlet an	d orange.
	in. Pot grow			
integerri	ma, EUROPE	AN COT	NEASTER.	3-4 ft. May.
	mucn-pranch ar, bright red		shrub with	pink flowers.
	in. Pot grow		5.40	
	6-10 ft. Pink			
Uprigh	t, dense shrul	o; fruit pu	rplish-black.	Of value as a
	plant, stands			
	in. Pot grow in. Pot grow		2.70	24.00
			EASTER. 15	48.00
	Long broad			it. white.
18-24	in. Pot grow	n75	6.75	
	4-6 ft. Pink.			
Broad	shrub. Dar h-black.	k green l	ustrous leave	s, pendulous
	in. Pot grow	n .30	2.70	24.00
	in. Pot grow			48.00
	ra soongarica			
Red fr	spreading bra	nches with	n clusters of v	white flowers.
	in. Pot grow	n 100	9.00	
	ra veitchi. 8			
	ing habit. D			
	in. Pot grow			
White.	Mav-June.	Semi-eve	AF COTONEA ergreen, spre	STER. 6 ft.
Red fr	uit.		orgreen, spre	aumg nabit.
	in. Pot grow		4.50	
	in. Pot grow		9.00	
	-6 ft. Pinki shrub, ovoid r		Foliage turns	hniotht and
in Fall		ed Hult.	ronage turns	bright yellow
	in. Pot grow		6.75	
18-24	in. Pot grow	n 1.00	9.00	

100

60.00

6.75 9.00

10

Each

CDATAFOLIC Hawthen	Eacn	10	100
CRATAEGUS, Hawthor			
arkansana, ARKANSA			. White.
May-June. Scarlet	fruit in O	etober.	
6-12 in.	.40	3.60	
arnoldiana, ARNOLD	HAMTHO	RN 15_20 ft	White
May. Fruit bright		1114. 10-20 10.	vv 111 co.
		0.00	04.00
2-3 ft.	1.00	9.00	81.00
3-4 ft.	1.25	11.25	102.00 $120.00$
4-5 ft.		13.50	120.00
	2.00	$18.00 \\ 27.00$	
6-8 ft.	5.00	21.00	
coccinea, THICKET	HAWTHO	RN. 20 ft. V	White. May-
June. Bushy tree;	$\frac{1}{2}$ -inch lon	g red fruit.	
1-2 ft.	.40	3.60	32.00
2-3 ft.	.60	5.40	
3'-4 ft.	1.00	9.00	
4-5 ft.	1.50	13.50	
coccinoides. 15-20 ft.			
		2	
Round-topped, dense	ely-branche	ed tree with k	oright orange
and scarlet fruits.			
	.60	5.40	
3-4 ft.	1.00	9.00	
4-5 ft.	1.50	13.50	
cordata, WASHINGTO	N HAWT	HORN. 30 ft	. May-June.
Beautiful Fall color			
fruit, remaining a lo		<u> </u>	
2-3 ft	.75	6.75	60.00
	1.00		81.00
4-5 ft.	1.50		120.00
5-6 ft.	2.00		22000
6-8 ft.	3.50	31.50	
			7. C. T
crusgalli, COCKSPUR			
Showy bright red			spring.
2-3 ft.	.75	6.75	
3-4 ft.	1.00	9.00	
4-5 ft.	1.50	13.50	
monogyna, ENGLISH	HAWTHO	ORN (one-stor	ne). 15-20 ft.
White. May. Oval			ŕ
2-3 ft.	.75	6.75	
oxycantha, ENGLISH	HAWTH	ORN (two-sto	ne). 8-15 ft.
White. May. White			by brilliant
red "'hows,'' which			
2-3' ft.	.75	6.75	
3-4 ft.	1.00	9.00	
4-5 ft.	1.50	13.50	
oxyacantha splendens	PAUL D	OUBLE SCA	RLET HAW-
THORN. One of the	ne most bri	lliant late Spr	ring bloomers.
4-5 ft.	2.50	22.50	
	3.00	27.00	
peregrina, PERSIAN		PRN. 15 ft.	White. June.
Dark, dull purple f			
1-2 ft.	.50	4.50	
2-3 ft.	.75	6.75	
3-4 ft.	1.25		
prunifolia, PLUMLE	VE HV7/	THORN 30	ft. White.
May-June. Brillian	t gearlet f	ruit and lust	rous leaves.
May-June. Brillian	t scariet i	6.75	60.00
	12	(1.4.1)	00.00

2-3 ft. .75 3-4 ft. 1.00

26		l	HARLAN F	P. KELSEY, Inc
	0	Each	10	100
CRATAE	GUS, Continu			
punctata	, DOTTED	HAWTHO	RN. 25 ft	t. White. May
June.	Horizontal s	spreading b	ranches; d	ull red fruit.
	2-3 ft.	.75	6.75	
	3-4 ft.	1.00	9.00	
	4-5 ft. 5-6 ft.	1.25 $1.75$	11.25 $15.00$	
	6-8 ft.	2.50	22.50	
				8-16 ft. White
,	2-3 ft.	.75		
	3'-4 ft.	1.25		
	4-5 ft.	2.00		
	•		N. 12-20 ft	. White. June
Yellow	or yellow-re		4.50	
	1-2 ft. 2-3 ft.	.50 .75	4.50 $6.75$	
	3-4 ft.	1.25	11.25	
	4-5 ft.	2.00		
CYDONIA	, Quince.			
japonica	, FLOWERIN	NG QUINC	<b>E.</b> 3-6 ft.	Red. May.
Good,	old-fashioned			
	1-2 ft.	.30	2.70	24.00
CYTISUS,				
•	s, SCOTCH I			vellow flowers in
	and June. Pr			
	18 in. 4 in 1			48.00
Hybrid :	Seedlings. 5	ft. May-J	une.	
From	selected seed	of the fir	nest named	l varieties. Re-
		s of color f	rom white	and clear yellow
to deep		<b>4</b> 00	0.00	
	in. Pot grov	vn. 1.00	9.00	
DAPHNE.				
			<b>VE.</b> 2-4 ft.	Upright. Rosy-
purpie.	. February-A 6-9 in.	.30	2.70	
DEUTZIA		•00	-•••	
		STER. 8-	-12 ft. W	Thite and pink.
	Profuse bloom			Transfer Present
	2-3 ft.	.30	2.70	
	3-4 ft.		3.60	
	4-5 ft.		4.50	1-1 1 <sup>0</sup> T
	<b>TUZZY DEU</b> Upright flow			e or blush. Jun- bark
July.	2-3 ft.	er pameres		
		snowfl		<b>TZIA.</b> 6-10 ft.

Double, white. July.

2.70 18-24 in. .30

scabra crenata. 6-8 ft. Pink and white. Double. July. 1.80 16.0012-18 in. .20 18-24 in. .30 2.70 2-3 ft. .40

#### DIERVILLA, Bushshoneysuckle.

rivularis, GEORGIA BUSHHONEYSUCKLE. 4-6 ft.

Yellow. July-August. Dense growth.

18-24 in. .30

trifida, DWARF BUSHHONEYSUCKLE. 1-3 ft. Yellow. June-July. A fine very low-growing ground cover, rarely over two feet high.

2.70 18-24 in. Collected .30

KELSEY-HIGHLANDS	NURSERY		27
	Each	10	100
ELAEAGNUS, Elaeagnu	s.		
augustifolia, RUSSIAN Silvery foliage; yello			
4-5 ft.	.60	5.40	
5-6 ft.	1.00	9.00	
ELSHOLTZIA.			
stauntoni. 1-3 ft. Lil	lac-purple.	September-C	October.
Flowers in conspicu			
Strong plants		14.50	39.00
ENKIANTHUS, Enkiant	thus.		
campanulatus, REDVI		ANTHUS. 6	-15 ft.
Orange. May. Nati			
flowers, yellowish or	pale oran	ge, veined da	arker red on
pendulous stalks in	May. Foli	age turns bri	lliant red in
Autumn. Requires			
12-15 in.	.75	6.75	60.00
15-18 in.	1.00	9.00	81.00
18-24 in.	1.75	$\begin{array}{c} 15.00 \\ 22.50 \end{array}$	$140.00 \\ 202.00$
2-3 ft. 3-4 ft.	2.50 $4.00$	36.00	202.00
4-5 ft.	6.00	54.00	
perulatus, WHITE EN			White. May.
Dwarfer species. L			
15-18 in.	1.50	13.50	334 2 2 3 4
18-24 in.		18.00	
2-3 ft.	3.00	27.00	
subsessilis, NIKKO E June. A handsome brilliant red in Au	Japanese	US. 9 ft. N species, lea	Vhite. May- aves turning
12-18 in.		18.00	
EUONYMUS, Euonymus	s.		
alatus, WINGED EUC	NYMUS.	8-10 ft. Yell	owish. May-
June. Leaves brillia	ant crimson	n in Autumn;	corky wings
on branches.			40.00
	.60	5.40	48.00
3-4 ft.		6.75	60.00
alatus (compact form $2-2\frac{1}{2}$ ft.		11.25	
. –			19_15 ft
bungeanus, WINTER Yellowish. June. mains long on bran	Brilliant o	range and p	ink fruit re-
4-5 ft.		6.75 $9.00$	
5-6 ft.		$\begin{array}{c} \textbf{3.50} \\ \textbf{13.50} \end{array}$	
			) 20 ft
europaeus, EUROPEA Yellowish. May. S	carlet frui	t in Autumn.	1-20 It.
2-3 ft.	.40	3.60	
3-4 ft.	.60	5.40	
	2.00		
maacki. 4-7 ft. Yel Orient.			
2-3 ft.		$5.40 \\ 7.20$	48.00
3-4 ft. 4-5 ft.	0.80 $1.25$	7.20 11.25	
• patens, SPREADING Half-evergreen shr	ub, pinkisl	1-red fruit.	
2-3' ft.	.60	5.40	
yedoensis, YEDDO E	UONYMUS	. 8-15 ft. Y	ellow June.
Masses of pink and	d orange f	our-lobed frui	it.
1-2 ft.	.30	2.70	24.00
2-3 ft.	.50	4.50	39.00

	Each	10	100
EXOCHORDA, Pearlbu		10	100
grandiflora (racemosa		N DEADLEIL	CU 6 10 ft
White. April. Slen			Sn. 6-10 1t.
2-3 ft.	.60	5.40	
3-4 ft.	.75	6.75	
4-5 ft.		9.00	
FAGUS, Beech.	•		
americana, AMERICA		I. 60-80 ft.	
One of the best for			
3-4 ft.	2.50	22.50	
4-5 ft.	3.50	31.00	
	4.50		
6-7 ft.	6.00	54.00	
	8.00		
sylvatica, EUROPEA		80 ft.	
Long-lived shade tr		10.00	1.00.00
2-3 ft. 3-4 ft.	2.00	$18.00 \\ 27.00$	162.00
		27.00	
FORSYTHIA, Forsythia			C+ X7 - 11
intermedia, BORDER	FORSYI	HIA. 10-15	tt. Yellow.
April-May. 18-24 in.	.20	1.80	
2-3 ft.	.30	2.70	
3-4 ft.	.40	3.60	
4-5 ft.	.60	5.40	
5-6 ft.	.80	7.20	
intermedia primulina,	PRIMROS	E FORSYTH	IA. 4-8 ft.
Deep yellow flowers			
18-24 in.	.60	5.40	48.00
2-3 ft.	.80	7.20	
intermediate spectabi	lis, SHOW	Y BORDER F	FORSYTHIA.
6-10 ft. Primrose.		ed form, large	er, more bril-
liant yellow flowers			
18-24 in.		2.25	20.00
2-3 ft.	.40	3.60	
3-4 ft.	.60	5.40	
4-5 ft.	.80	7.20	
ovata. 4-6 ft. Yellov A new, distinct and		anosios fron	. Voron the
earliest to bloom.			i Korea, tile
18-24 in.		5.40	48.00
	.80		10.00
	1.00		
suspensa, WEEPING			April-May.
Long, slender incur	ving brancl	nes.	
18-24 in.	.25	2.25	20.00
suspensa fortunei, F			
Yellow. April-May.	Upright	habit with fi	inely-arching
branches.		1.00	
18-24 in.			04.00
	.30		24.00
suspensa sieboldi, SIE April-May. Low-gr			
branches often trai	_		dulous
3-4 ft.		4.50	
FOTHERGILLA, Fother major, LARGE FOTH			
15-18 in.		13.50	
18-24 in.		18.00	•
GAYLUSSACIA, Huckle		20,00	
baccata, BLACK HU		RY. 2-3 ft.	Reddish.
May-June. Erect s			
ground cover for sai			
1 ft square			

COLLECTED CLUMPS .50 4.50 29.00

1 ft. square

REEGET THOMESANDO		•	25
	Each	10	100
GLEDITSIA, Honeylocu			
triacanthos, COMMON	HONEYL	OCUST. 40	-140 ft. May-
June. Thorny tree.			
2-3 ft.	.40	3.60	
HALESIA, Silverbell.			
monticola, MOUNTAI	N SILVE	RBELL 60-	100 ft
Pyramidal tree of g	great beau		
white flowers in Ma	-		
18-24 in.	.40	3.60	32.00
2-3 ft.	.60	5.40	48.00
3-4 ft.	.80	7.20	
4-5 ft.	1.00	9.00	
5-6 ft.		13.50	
HAMAMELIS, Witchham		751 40 61	TT - 11
vernalis, VERNAL W			
January-March. Flo			
bright yellow petals			
3-4 ft.		13.50	120.00
4-5 ft.	2.00	18.00	160.00
	3.00	27.00	240.00
virginiana, COMMON			zo it. Yellow.
September-October.			22.00
2-3 ft.	.40	3.60 $5.40$	32.00 48.00
3-4 ft. 4-5 ft.	.60 .80	7.20	64.00
5-6 ft.	1.00	9.00	81.00
HIBISCUS, Hibiscus, Ro			01.00
All 3-4 ft.	.60	5.40	
All 5-4 It.	.00	9,40	
syriacus, SHRUB-AL	THEA (F	OSE-OF-SH	ARON).
All 3-4 ft.	·		·
, 8	SHRUB T	YPE	
ARDEUS. Double			
BANNER. Double l			
COELESTIS. Single			
JEANNE d'ARC. I			
PURPUREA SEMI		Double purp	le.
RUBUS. Single red			
SNOWDRIFT. Sing	sle white.		
	TREE TY	7DTR	
ANEMONAEFLORU	S. Doubl	e pink.	1
BOULE-DE-FEU.			
DUCHESS-DE-BRA			
JEANNE d'ARC. I			
PULCHERRIMA. I		sh.	
RUBUS. Single red			
SNOWDRIFT. Sing			
TOTUS ALBUS. S	ingle whit	te.	
HYDRANGEA, Hydrang	nea		
arborescens, SMOOTH		NGEA 4.0	ft White
June-July. Very su	ntable in	a snady und	iersmub plant-
ing. 2-3 ft.	50	4.50	
2-3 It. arborescens grandiflo			ft White
June-July. Flowers			
		nd very sno	wy, for under-
planting and border bretchneideri, SHAGO		ANGEA 6-	9 ft.
White flowers in A			
hrown hark	Lugust, I	1112 60 0 1 411 1	

brown bark.

12-18 in.

18-24 in.

2-3 ft.

3-4 ft.

9.00

13.25

18.00

27.00

1.00

1.25

2.00

30		1	HARLAN P. I	KELSEY, Inc.
		Each	10	100
HYDRANG	EA, Continu		10	100
•				ft. Whitish.
August	-September.			0.0.00
	18-24 in. 2-3 ft.	.40 .50	3.60 4.50	32.00 . 39.00
nanioulat			E HYDRANGI	
				white flowers,
	ng to pink s			
	18-24 in.	.25	2.25	20.00
	2-3 ft.	.40	3.60	22.00
	a praecox, E August. Eai		NICLE HYD	RANGLA.
20 20.	4-5 ft.	1.50	13.50	
	5-6 ft.	2.50	22.50	
	6-8 ft.	3.50	31.50	
	<b>a tardiva, L</b> October. La		IICLA HYDR	ANGEA.
10 16.	3-4 ft.	1.00	9.00	
	4-5 ft.	1.50		
			NGEA. 8 ft.	White.
August.	. Very broa 2-3 ft.	d, showy .75	foliage.	
radiata			ANGEA. 4 f	t White
	. Silvery un			c. vv mico.
	2-3 ft.	.50	4.50	39.00
	JM, St. John		-1	
	um. 5 ft. Y foliage. Uj		11y.	
	ollected Plan		3.60	32.00
ILEX, Holl	у.			
monticola	, MOUNTAI	N WINTE	ERBERRY. 1	0-40 ft. May.
Brillian	t scarlet fru			
cerrata [	2-3 ft. FINETOOTH		5.40	48.00
scirata, i	18-24 in.		9.00	81.00
			18.00	
	· ·			-10 ft. June-
July.	Thick-growin 1-2 ft.		Bright red fi	ruit.
			4.50	39.00
INDIGOFE	RA, Indigo.			
		NDIGO. 2	-4 ft. Rose-o	colored. June.
From N	Northern Chin			
	12-18 in.			
KOLKWIT	18-24 in.	2.00	18.00	
		HSH 4_6	ft. Pink. J	una
•				orays of clear
			very garden.	
				24.00
Flo	18-24 in. wering sizes		3.60	32.00
F 10			5.40	48.00
	3-4 ft.		9.00	81.00
	4-5 ft.	1.50	13.50	120.00
LARIX, La				
				Purple catkins
May.	Rare rapid-g 3'-4 ft.	rowing sp .75	pecies from $ea$ $6.75$	astern Siberia. 60.00
	4-5 ft.	1.00	9.00	81.00
	5-6 ft.	1.50	13.50	
	6-8 ft.	2.50	22.50	

S-10 ft.

3.50

LARIX, Continued.	Each	10	100
dahurica, var. princip		chti.	
A variety with large			
2-3' ft.	1.00	9.00	
3-4 ft.	1.50	13.50	
europaea, EUROPEAN			
4-5 ft. 5-6 ft.	1.00 1.50	$9.00 \\ 13.50$	
6-8 ft.	$\frac{1.50}{2.50}$	22.50	
8-10 ft.		36.00	
leptolepis, JAPANESE		45-80 ft.	
Very handsome as			f very rapid
growth.			
5-6 ft.	1.50	13.50	120.00
6-8 ft.	2.50	22.50	202.00
8-10 ft.	4.00	36.00	324.00
_EUCOTHOE, Leucotho			
racemosa, SWEETBEI	LLS. 4-10	ft. White.	April-June.
A handsome ericace of bell-like flowers.	ous shrub	with conspic	uous panicles
1-2 ft.	.60	5.40	48.00
2-3 ft.	.75	6.75	60.00
recurva, REDTWIG L	EUCOTHO	<b>DE.</b> 5-10 ft.	White.
April-June. 9-12 in.	20	9.70	
9-12 in. 12-15 in.	.30 .50	$2.70 \\ 4.50$	
LIGUSTRUM, Privet.	.00	<b>4.00</b>	
acuminatum. 4-6 ft.			
Upright and spreading	ng branch	es. Lustrous	black fruit.
2-3 ft.	.30	2.50	20.00
acuminatum macrocra		BERRY PRI	VET. 6-8 ft.
Upright, black fruit.		9.50	90.00
2-3 ft. 3-4 ft.	.30 .40	2.50 $3.50$	20.00 30.00
amurense, AMUR PR			
The "North" or ha			
California Privet. Th	•	•	
2-3 ft.	.25	2.00	15.00
3-4 ft.	.30	2.50	20.00
IBOLEUM PRIVET.			
Upright hardy form	ı; very us	seful instead	of the tender
California privet.	95	9.00	15.00
2-3 ft.	.25	2.00	
ibota regelianum, REG	EL PRIV	ET. 3-8 ft.	White. June-
July. Low dense branches; fine hedg		vith horizont	ar spreading
18-24 in.	.35	3.00	25.00
vulgare, EUROPEAN		Γ. 6-15 ft.	White. June-
July. Fine dark gre			
fruit through the W		e of the best.	
1-2 ft.	.25	2.00	15.00
2-3 ft.	.35	3.00	25.00
3-4 ft.	.45	4.00	35.00
LONICERA, Honeysuck			
chrysantha, CORALLI			
Yellowish, May-Jur		t orange-red 2.70	iruit.
1-2 ft. 2-3 ft.	.30 .40	3.60	
			5-8 ft Croam
fragrantissima, WINT March-May. Early	SWAAT-SCO	nted flowers	Almost ever-
green foliage.	5 W 661-206	11004 110 (1016)	
2-3 ft.	.50	4.50	39.00
3-4 ft.	.75	6.75	60.00

Each 10 100 LONICERA, Continued. korolkowi floribunda, BROAD BLUELEAF HONEY-SUCKLE. 6-8 ft. Foliage pale grey. Profuse bright pink flowers in May and June. 18-24 in. 4.50maacki, AMUR HONEYSUCKLE. 12-18 ft. White. Fragrant. June. Fruit dark red. .80 7.203-4 ft. maacki erubescens. 15 ft. Pink. June. Larger foliage. 2-3 ft. .75 6.75maximowiczi sachalinensis. 10 ft. Purple. June. Dark purple conspicuous flowers and very attractive; no fruit. A new introduction. .75 6.75 1-2 ft. 2-3 ft. 1.009.0013.50 3-4 ft. 1.50 morrowi, MORROW HONEYSUCKLE. 5-6 ft. White. Red fruit. May-June. 2-3 ft. .40 3.60 3-4 ft. .50morrow, prostrate form. 2-4 ft. high. Very useful where low effects are desired. .60 2-3 ft. spread .80 3-4 ft. spread syringantha, LILAC HONEYSUCKLE. 6-8 ft. May-June. Splendid upright slender-branched shrub. Fragrant flowers. .60 1-2 ft. 5.40 2-3 ft. 1.00 9.00 tatarica alba, WHITE TATARIAN HONEYSUCKLE. 6-10 ft. White. May-June. 4.5039.00 3-4 ft. .50tatarica rosea, ROSY TATARIAN HONEYSUCKLE. 6-10 ft. Pink. May. 2.70 .30 2-3 ft. tatarica rubra. 6-10 ft. Light crimson flowers. 32.002-3 ft. .40 3.60trichosantha, SLENDER HONEYSUCKLE. 6 ft. Red. Tibet; bright red fruit. 7.20 1-2 ft. .80

June. Recent introduction from Western China and

WHITE BELLE HONEYSUCKLE (balla albida). 6 ft.

May-June. Hybrid morrowi x tatarica.

4-5 ft. .50 4.50.75 6.755-6 ft.

MAGNOLIA, Magnolia.

glauca, SWEETBAY. 25-50 ft.

Attractive shrub or small tree. Glossy foliage and sweetscented creamy-white flowers.

> 2.50 2-3 ft. 22.50

## MALUS, THE FLOWERING CRAB

The Flowering Crabs have few rivals among gorgeous Spring flowering trees and shrubs. At the Arnold Arboretum one of the important events of the year is the blooming of the Crabs, followed by the showy fruit.

They are of easy culture, and whether planted singly or in masses, give remarkable and quick results. Not only are the Flowering Crabs beautiful on the lawn, but they are used to the greatest advantage on a large scale in woodland and other mass plantings, as are Dogwoods and Hawthorns. No group of plants has greater value for enlivening open forest parks and the country roadside

As soon as the ground can be worked in Spring is an ideal time for planting, and a gain in Fall after foliage is well ripened. Give rich soil and mulch heavily. Use all the water the soil will take in planting.



JAPANESE FLOWERING CRAB.
(Malus floribunda)

#### PRICES OF FLOWERING CRABS

	Each	10
2-3 ft.	.60	5.40
3-4 ft.	1.00	9.00
4-5 ft.	1.25	11.25
5-6 ft.	2.00	18.00
6-7 ft.	3.00	27.00
7-8 ft.	5.00	45.00

The sizes we can supply follow the description of each variety.

#### MALUS, Crab

angustifolia plena. 15-30 ft.

Double pink, violet-scented flowers in June. Sizes 4-5 ft. and 5-6 ft.

arnoldiana, ARNOLD CRAB. 8-15 ft.

Large rose-colored flowers, turning to white. May. Sizes 2-3 ft., 3-4 ft. and 4-5 ft.

atrosanguinea, CARMINE CRAB. 15-20 ft.

Brilliant carmine flowers. May. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft. and 6-7 ft.

baccata, SIBERIAN CRAB. 30-45 ft.

Pure white blossoms in great profusion. May. Small green or reddish fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

baccata mandshurica, MANCHURIAN CRAB. 12-15 ft.

Early May. From China and Japan; large pure white fragrant flowers, dark scarlet fruit. Sizes 2-3 ft., 5-4 ft., 4-5 ft. and 5-6 ft.

baccata, yellow fruited form.

Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

#### MALUS, Continued.

coronaria, WILD SWEET CRAB. 10-30 ft. June.

White and pink flowers, delightfully fragrant. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

DOLGA (Hansen Red Crab). 12-15 ft. May

New, distinctive, with white flowers and brilliant red, edible fruit in great profusion. Sizes 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

ELEY FLOWERING CRAB (Malus purpurea eleyi). May. New, resembling floribunda, but with larger and better-colored flowers and a more profuse bloomer. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft., 7-8 ft.

floribunda, JAPANESE FLOWERING CRAB. 15-30 ft. May. Bright pink flower buds, white flowers. Small yellowish fruit much liked by birds. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft. and 6-7 ft.

#### floribunda, BOB WHITE.

Pure white flowers. 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

#### floribunda, SNOWBANK.

Profuse white flowers. 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

halliana parkmani, PARKMAN CRAB. 15-20 ft. May. Bright rose-red, double flowers. A favorite in Japanese gardens. Sizes 2-3 ft., 3-4 ft.

#### HOPA REDFLOWERING CRAB. 12-15 ft.

A remarkable tree, which is entirely covered with rosecolored blossoms in May. Fruit is red inside and out. Very hardy. Sizes 3-4 ft., 4-5 ft. and 5-6 ft.

ioensis, PRAIRIE CRAB. 10-30 ft. Single pink. Sizes 2-3 ft. and 3-4 ft.

ioensis plena, BECHTEL CRAB. 12-15 ft. June.

Double pink flowers like small clustered roses. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

#### MATHEW CRAB. 20-30 ft.

Single flowers in clusters, rose-pink in color and very fragrant. Fruit edible. Sizes 2-3 ft. and 3-4 ft.

micromalus, MIDGET CRAB. Early May.

Handsome small tree. Upright habit, showy pink flowers. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

niedzwetzkyana, REDVEIN CRAB. 15-20 ft. May.

A Russian Turkestan species, remarkable for the red color of flowers, branches, leaves, and fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

prunifolia, PEARLEAF CRAB. 15-18 ft. May. White. Sizes 2-3 ft. and 3-4 ft.

prunifolia rinki (ringo) CHINESE APPLE. 15-18 ft. May. Large pinkish-white flowers, and red, yellow or green fruit, 1½ in. in diameter. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft. and 6-7 ft.

purpurea, PURPLE CRAB. 15-20 ft. May. Rich red flowers and foliage. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

robusta, CHERRY CRAB. 15-30 ft. Early May.

Large white fragrant flowers; dull red fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

sargenti, SARGENT CRAB. 4-6 ft. Late May.

Very spreading Japanese variety. Pure white flowers with bright yellow anthers. Scarlet fruit hanging till Spring. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

scheideckeri, SCHEIDECKER CRAB. 15-20 ft. Early. Small tree of pyramidal habit with small bright rose-colored flowers in great profusion. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

#### MALUS, Continued.

sieboldi, TORINGO CRAB. 6-10 ft. Late May.

A dense low shrub. Dark rose-colored buds contrast beautifully with the white petals of the full-blown flowers. Sizes 3-4 ft., 5-6 ft.

sieboldi arborescens. 20-30 ft. Late May.

White flowers produced in immense quantities, followed by minute red or yellow fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

theifera, TEA CRAB. 20-25 ft. May.

Numerous clusters of flowers, rose-red in the bud and pale or almost white when expanded. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

toringoides, CUTLEAF CRAB. 15-25 ft. Late May. White. Pear-shaped red fruit. Pendulous branches. 2-3 ft. and 3-4 ft.

sublobata, YELLOW AUTUMN CRAB. 6-10 ft. Pink. Late May. Sizes 2-3 ft., 3-4 ft. and 4-5 ft.

zumi, ZUMI CRAB. Late May.

Small tree of pyramidal habit, flowers pink in bud, becoming white, and red fruit. Sizes 2-3 ft., 3-4 ft.

zumi calocarpa. 8-10 ft. Late May.

Large pink and white flowers, brilliant scarlet fruit, half-inch in diameter. Size 2-3 ft., 3-4 ft and 4-5 ft.

MYRICA, Bayberry. Each 10 carolinensis, NORTHERN BAYBERRY. 3-10 ft.

Spreading undershrub. Curious white fruit used for making the famous Bayberry candles.

12-18 in. .50 4.50 18-24 in. .75

#### NYSSA, Tupelo.

sylvatica. 20-60 ft. May-June.

Picturesque growth. Autumn coloring brilliant shades of red.

1-2 ft. .75 6.75 2-3 ft. 1.25 11.25 3-4 ft. 1.75 4-5 ft 2.50

#### OSTRYA, Hophornbeam.

virginiana, AMERICAN HOPHORNBEAM. 40 ft. June. Shade-loving lawn tree.

4-5 ft. 1.50 5-6 ft. 2.00

#### OXYDENDRUM, Sourwood.

arboreum, SOURWOOD. 10-60 ft. White. June-August. Flowers when a few feet high; a mass of white flowers in Summer, and handsome foliage, turning scarlet in Autumn.

2-3 ft.	1.50	13.50	120.00
3'-4 ft.	2.50	22.50	202.00
4-5 ft.	3.50	31.50	
5-6 ft.	5.00	45.00	
6-8 ft.	7.50	67.50	

#### PHELLODENDRON, Corktree.

#### Chinense, CHINESE CORKTREE. 20-30 ft.

Small roundheaded tree. Greyish-brown corklike bark. Foliage yellow in autumn.

2-3 ft. .30 2.70 3-4 ft. .50 4.50 4-5 ft. .75. 6.75

#### chinense glabriusculum.

Variety with leaves smooth underneath.

4-5 ft. .75 6.75

		4.0	40.0
PHELLODENDR	Each ON. Continued		100
			25 50 00 5
sachalinense, S.  Dark brown t			35-50 ft. June. ck fruit; hardiest
species.	rain, broau pe	tiffeles of bia	ek mardlest
2-3	ft40	3.60	
3-4		4.50	
10-12		31.50	
12-14	ft. 5.00	45.00	
14-16			
16-18 1		135.00	
	ft. 20.00		
PHILADELPHUS			
AVALANCHE.		e. Fragrant	. June.
One of the b	_		
18-24 i		2.25	20.00
2-3 1			
rant. May-Ju	ine.	KANGE. 10	ft. White. Frag-
18-24 i		1.80	16.00
2-3			24.00
3-4 1			
coronarius gran			NGE. 15-20 ft.
White. June.			
2-3 f 3-4 f		2.70	
		3.60	
			RANGE. 6-10 ft.
White. June. 3-4 f			
4-5 f		$\begin{array}{c} 2.70 \\ 3.60 \end{array}$	$24.00 \\ 32.00$
5-6 f			48.00
6-8 f			40.00
lemoinei, LEMO			ft. June
			licate perfume.
1-2 f	it25	2.25	
2-3 f	čt40	3.60	
purpurascens, P			
June-July. F	ragrant white	e-bracteated	flowers, purple
2-3 f	t75	6.75	
3-4 f	t. 1.50		
VIRGINAL MO	CKORANGE.	6-7 ft. Wh	ite Semi-double.
2-3 f	t40	3.60	
3-4 f		4.50	
ZEYHER MOCK	ORANGE (ze	yheri). 4-6	ft. White. June.
3-4 f	t75	6.75	
	t. 1.50		
5-6 f		18.00	
PHOTINIA, Photi			
villosa. 6-15 ft.			
	uit, persisting	into Winte	er. Leaves turn
red in Fall. 2-3 f	t 50	4.50	
2-3 1 3-4 f		4.50 $6.75$	
PHYSOCARPUS,		0.75	
,		EDADIC	C 64 TO: 1: 1
bracteatus, TW			6 ft. Pinkish- th small leaves.
2-3 f		an snrup wi 3.60	tii smaii leaves.
3-4 f		5.40	
opulifolius, CON			15 ft. Pinkish-
white. June-J			10 I IIIMISII
	t30	2.70	

3-4 ft.

.30

2.70

POPULUS, Poplar.	Each	10	100
eugenei, CAROLINA		90 ft.	
Very rapid screen			
6-8 ft.	1.00	9.00	81.00
8-10 ft.	1.25	11.25	102.00
nigra italica, LOMBA			t.
The well-known tal 6-8 ft.	.75	6.00	45.00
8-10 ft.	1.00	8.00	65.00
simoni fastigiata, NA	RROW SIM	ON POPLAR	. 40-50 ft.
A narrow pyramida			
5-6 ft.	.75	6.75	
6-8 ft.	1.00	9.00	
PIERIS, Andromeda.		f4 Diedeigh	white modding
mariana, STAGGERB flower clusters. April			
12-18 in.	.75	6.75	
POTENTILLA, Cinquef	oil.		
fruticosa, SHRUBBY		FOIL. 1-4 ft	. Yellow.
June-August.			
18-24 in.	.30	2.70	24.00
PRUNUS, Plum, Cherry			
Americana, AMERICA			
Parent of most of t	the cultivat .75	ed native pro $6.75$	ims.
6-8 ft.	1.00	9.00	
armeniaca siberica, S	IBERIAN A	PRICOT. 10	-20 ft. White.
Scarcely edible yell	ow fruit.		
	1.50		
besseyi, BESSEY CH			
Showy white flower			
2-3 it. 3-4 ft.	.50 $.75$		39.00
DOUBLE PINK FLO			-6 ft. May.
Masses of deep pin		,	
	.75	6.75	
DOUBLE WHITEFLO	OWERING	ALMOND. 3	-6 ft. White.
May.		0.57	
2-3 ft.		6.75	
incisa, MAME CHERI	RY. 25 ft.	White, pink.	toned. April.
Purple-black fruit. 2-3 ft.	.60	5.40	
	1.00		
Iannesiana, HITOYE	CHERRY.	30-40 ft.	Fragrant.
Mostly pink flowers	s. Lustrous	s black fruit.	
2-3 ft.		5.40	
maritima, BEACH PL	_UM. 3-6	ft. May-Jun	e. Const White
Dwarf variety, nat masses of flowers f	ave to Ne	w England ( dull purple	coast. White fruit. Makes
fine jam and jelly.	.onowou by	Carr Darloro	
12-18 in.		2.70	
18-24 in.		3.60	
2-3 ft.		5.40	Mor Turo
pumila, SAND CHEF Black fruits.	KHY. 4-8 f	t. white.	may-june.
Black fruits. 12-18 in.	.30	2.70	
13-24 in.	.40	3.60	
serrulata, ORIENTAI	CHERRY	40-75 ft.	Single white.
Black fruit			
2-3 ft.	.50 .75		
3-4 ft. 4-5 ft.	1.25		
1 0 10.			

100

PRUNUS, Continued. Each 10

serrulata sachalinensis, YAMA CHERRY. 60 ft. Pink. April. Black fruit. Profusion of rose-pink or nearly white flowers; sometimes known as the Sargent Cherry.

 3-4 ft.
 1.00
 9.00

 4-5 ft.
 2.00
 18.00

 5-6 ft.
 3.00
 27.00

 6-8 ft.
 4.00
 36.00

serrulata spontanea, WILD ORIENTAL CHERRY. 40-75 ft. Single white or pink. Black fruit.

2-3 ft. .50 4.50 3-4 ft. .75 6.75

subhirtella, HIGAN CHERRY. 20-35 ft. Light pink flowers in profusion. Black fruit.

3-4 ft. 1.00 9.00 4-5 ft. 2.00 5-6 ft. 3.00

tomentosa, NANKING CHERRY. 10 ft. White, pinkish. March-April. Red fruit. Remarkable showy flowers and fruit of finest flavor. For jams, preserves and wine it is unexcelled.

2-3 ft. .25 2.25 20.00 3-4 ft. .50 4.50 39.00 4-5 ft. -.75 6.75 60.00

#### QUERCUS, Oak.

coccinea, SCARLET OAK. 75-160 ft.

A clean-growing tree, fine for lawn or street. Leaves brilliant scarlet in Fall.

3-4 ft. 1.50 13.50 4-5 ft. 2.00 18.00 5-6 ft. 2.75 24.00

macrocarpa, MOSSYCUP OAK. 60-150 ft.

Light brown corky bark.

2-3 ft. 1.00 9.00 3-4 ft. 1.50 13.50 4-5 ft. 2.25 20.25

palustris, PIN OAK. 60-125 ft.

Slender branches usually pendulous at ends. Symmetrical pyramidal head. Rapid growth.

 3-4 ft.
 1.00
 9.00

 4-5 ft.
 1.50
 13.50

 5-6 ft.
 2.50
 22.50

 6-8 ft.
 3.50
 31.50

 8-10 ft.
 5.00

#### RHAMNUS, Buckthorn.

caroliniana, CAROLINA BUCKTHORN. 8-30 ft. May-June. Shrubby tree. Leaves turning yellow in Autumn. Small round fruit changes from red to black.

4-6 ft. .75 6.75 6-8 ft. 1.00 9.00

cathartica, COMMON BUCKTHORN. 8-10 ft. Yellowish-green. May-June. Abundance of black fruit.

2-3 ft. .30 2.70 3-4 ft. .40 3.60

#### RHODORA, Rhodora.

canadensis, RHODORA. 2-3 ft. Lavender. April-May. Really an Azalea with gorgeous flowers in very early Spring. Plant in acid soil.

12-18 in. clumps	1.00	9.00	81.00
18-24 in. clumps	1.50	13.50	120.00
2-3 ft. clumps	2.50	22.50	

100 10 Each RHUS, Sumac. copallina, SHINING SUMAC. 5-30 ft. Greenish. Shrub usually quite dwarf with crimson-panicles fruit; dark green glossy foliage; colors brilliant scarlet in Autumn. .60 5.402-3 ft. .756.753-4 ft. cotinus, COMMON SMOKETREE. 5-15 ft. Masses of filmy purple fruiting panicles. Yellow and purple Autumn tints of the leaves. 6-8 ft. 2.50glabra, SMOOTH SUMAC. 4-15 ft. Greenish. July-August. Finely-cut leaves. .30 2.702-3' ft. 3.60 3-4 ft. .40 ROBINIA, Locust. hispida, ROSEACACIA. 1-3 ft. May-June. Shrub with bristly branches and bright rose-colored flowers. 3.60 .40 18-24 in. kelseyi, KELSEY LOCUST. 4-8 ft. May-June. Very handsome and graceful with brilliant rose-colored flowers and purple fruits. Our introduction. 48.00 5.40 18-24 in. Pot grown .60 ROSA, Rose. acicularis, PRICKLY ROSE. 3 ft. May-June. Low species with solitary deep-rose single flowers, 2 in. across. 18-24 in. .30 blanda, MEADOW ROSE. 3-5 ft. May-June. Slender low shrub with delicate pink flowers, 2-21/2 in. across. .30 2.70 18-24 in. canina, DOGBRIER. 5-10 ft. June. Orange-red or scarlet fruits; single light pink flowers. 2.70 08. 18-24 in. hugonis, HUGONIS ROSE. 6 ft. May-June. Brilliant yellow flowers, 21/2 in. across; free flowering. .30 2.70 6-12 in. lucida, VIRGINIA ROSE. 2-4 ft. June-July. A dwarf form adapted for borders or shrubberies; shiny foliage and bright pink flowers. .30 2.70 18-24 in. nitida, BRISTLY ROSE. 3-6 ft. June-July. Branches covered with numerous reddish bristles, fine single reddish bristles, fine single reddish flowers 1/2 in. across. .40 18-24 in. rubiginosa, SWEETBRIER. 4-8 ft. June. Large bright pink flowers and showy scarlet cups. Very aromatic bright green foliage. .30 18-24 in. 6 ft. May-September. rugosa, RUGOSA ROSE. Upright shrub with large single purple flowers and brilliant large brick-red fruit. Good hedge plant if kept cut back. 3.60 .40 18-24 in. rugosa alba, WHITE RUGOSA ROSE. Pure white flowers. 3.60 .40 18-24 in. rugosa hybrids. .75 50.00 6.00 Strong No. 1

BELLE POITEVINE. Large double magenta-pink flow-

CONRAD FERDINAND MEYER. Large silvery-pink

ers. Excellent for hedges.

flower profusely produced.

```
ROSA, Continued.
```

J. GROOTENDORST, Blooms all Summer. Small bright red flowers in large clusters. Fine for hedges.

HANSA. Large double reddish-violet flowers. Vigorous. MAY GRAF. (See Climbing Roses.)

NEW CENTURY. Large fully double fragrant flowers of clear flesh-pink, light red center, creamy edges.

SIR THOMAS LIPTON. Pure white, double flowers on long stems.

setigera, PRAIRIE ROSE. 6-10 ft. June-July. Deep rose, single.

single. Each 10 100 18-24 in. .252.25

spinosissima, SCOTCH ROSE. 3-4 ft. May-June.

Branches covered with bristles; numerous solitary flowers usually fine yellow.

> 6-12 in. .30 2.70

WHITE VIRGINIA ROSE (virginiana alba). 2-4 ft. Dwarf form with green stems and white flowers.

> 18-24 in. .40 3.60

For CLIMBING ROSES see page 47.

#### RUBUS, Raspberry.

odoratus, FLOWERING RASPBERRY. 3-6 ft. Rose-purple. All Summer. Fine undershrub, especially for moist locations.

18-24 in. .30

#### SALIX, Willow.

alba, WHITE WILLOW. 50-75 ft. April.

One of the most satisfactory of the larger Willows.

3-4 ft. .40 3.60

6.75

babylonica, BABYLON WEEPING WILLOW. 30-40 ft. The best Weeping Willow.

> 6-8 ft. 1.25

discolor, PUSSY WILLOW. 8-15 ft.

2-3 ft. .40

pentandra, LAUREL WILLOW. 50-60 ft.

Lustrous dark green leaves. A good hedge plant. 4-5 ft. .605.40 5-6 ft. .75

> 6-8 ft. 1.25

#### SORBARIA, False-Spirea.

stellipila, STARRY FALSE SPIREA. 6-7 ft.

June-July. Leaves appear very early in Spring.

4-5 ft. 1.00 9.00

#### SORBUS, Mountainash.

americana, AMERICAN MOUNTAINASH. 15-30 ft. White.

May-June. Brilliant bright red fruit in large clusters. 3-4 ft. .60 5.40 4-5 ft. .80 7.20

5-6 ft. 1.00 9.006-8 ft. 1.50 13.50

aucuparia, EUROPEAN MOUNTAINASH. 20-50 ft. White. May-June. Larger fruit. Leaves not so finely serrate.

.60 4-5 ft. 4.50 48.00 5-6 ft. 6.75 .7560.00 6-8 ft. 1.009.0081.00 8-10 ft. 1.50 13.50 120.00 10-12 ft. 2.00 18.00 12-14 ft. 2.5022.50

commixta, JAPANESE MOUNTAINASH. 30 ft. White. May-June. Smaller leaves than American Mountainash.

6-8 ft. 2.00 18.00 8-10 ft. 3.00 27.90

mougeoti. 20-65 ft. White. June.

Small-leaved species with bright red edible fruit.

3-4 ft. 1.50 13.50 4-5 ft. 2.00 18.00

SPIRAEA, Spirea.	Each	10	100
ANTHONY WAT		Crimson.	June-July.
Very free flower 18-24 in.	ing. .30	2.70	24.00
billiardi, BILLIAR			
An old variety.	.D 0, 2, v	1 10. 1050.	bury.
2-3 ft.	.40	3.60	
3-4 ft.	.60	5.40	
douglasi, DOUGLA	AS SPIREA. 5	-7 ft. Deep	rose. July-
August.	40	0.00	
2-3 ft.		3.60	
froebeli, FROEBE	L SPIREA. 2-4 .50	4.50	crimson.
henry, HENRY S	.30	$\frac{2.70}{2.70}$	une.
2-3 ft.		3.60	
japonica, ovalifolia	. WHITE JAP	ANESE SPI	REA. 3-4 ft.
White. Summer			
18-24 in.	.30	2.70	
tomentosa, HARD	HACK. 3 ft.	Pink. July-	September.
Fine for damp			
	lected .30		24.00
tricocarpa. 4-6 ft Introduced by A			a Ahundant
large white flow			
18-24 in.		2.70	24.00
2-3 ft.	.50	4.50	39.00
vanhouttei, VANH			
June. One of the			looming Spi-
reas, attaining s 2-3 ft.		te nardy. 2.70	24.00
		2.10	24.00
SYMPHORICARPOS chenaulti. 4-6 ft.	•	to Tuno	
The small fruit			dots, or one
side whitish with		minute pare	4000, 01 0110
		5.40	48.00
5-4 ft.	.75	6.75	60.00
mollis, SPREADIN			Pink. White
fruits. June-Jul			40.00
	.60 .75		48.00 <b>6</b> 0.00
racemosus, COMN June-September			
and Winter.		WIIICO II di	
	.30	2.70	24.00
2-3 ft.	.40	3.60	
racemosus laeviga	tus, GARDEN	SNOWBER	RY. 4-6 ft.
Larger white fr	uit.		
18-24 in.	.40	3.60	
vulgaris, CORALE			
July. Shrub wi		nches covere	ed with frui
until late Winte	er. .30	2.70	24.00
		2.,0	21.00
SYRINGA, Lilac. chinensis, CHINE	SE LILAC 9	10 ft Purpl	e-lilac May
Flowers in large			c-mac. may
-	.50		
3-4 ft.		6.75	
dilitata. 2-6 ft.	May.		
Light pink with		s.	
18-24 in.	.75	6.75	
2-3 ft.	1.00	9.00	

SYRINGA, Continued. Each 10 100

japonica, JAPANESE TREE LILAC. 20-30 ft. White.

Flowers in June-July. Large long panicles.

2-3 ft. .75 6.75 3-4 ft. 1.00 9.00 4-5 ft. 1.50 13.50

josikaea, HUNGARIAN LILAC. 12-15 ft. Pale violet.

June-July. Valuable as a late bloomer.

2-3 ft. .50 4.50 3-4 ft. .75 6.75

microphylla, LITTLELEAF LILAC. 4-6 ft.

Spreading. Deep red buds, light pink flowers.

18-24 in. .50 4.50 2-3 ft. .75 6.75

persica, PERSIAN LILAC. 5-10 ft. Pale lilac. May-June.

Slender arching branches.

2-3 ft. .50 4.50 3-4 ft. .75 6.75

villosa, LATE LILAC. 8-12 ft. Pink. May-June.

Flowers in long broad panicles.

3-4 ft. .75 6.70

vulgaris, COMMON LILAC. 6-20 ft. Purple shades. May. 18-24 in. .40 3.60 32.00

2-3 ft. .60 5.40

vulgaris, alba, COMMON WHITE LILAC. 8-30 ft. Single.

White. Vigorous grower.

 1-2 ft.
 .40
 3.60
 32.00

 2-3 ft.
 .60
 5.40
 48.00

 3-4 ft.
 .80
 7.20
 64.00

#### HYBRID LILACS.

They bloom when small, transplant easily, require little care and each Spring reward us with increasing charm of flower and foliage.

 1-2 ft.
 .75
 6.75

 2-3 ft.
 1.25
 11.25

 3-4 ft.
 1.75
 15.75

 4-5 ft.
 2.50
 22.50

ALPHONSE LAVALLEE. Bluish-lilac, double. Sizes 2-3 ft. and 3-4 ft.

AMBROISE VERSCHAFFELT. Pink and white, medium size, single. Sizes 1-2 ft., 2-3 ft., 3-4 ft. and 4-5 ft.

BERRYER. Semi-double, clear mauve. Sizes 1-2 ft., 2-3 ft. and 3-4 ft.

CHARLES JOLY. Double, dark violet-purple, silvery reverse. Sizes 1-2 ft. and 2-3 ft.

CHARLES THE TENTH. Dark lilac-red, single. Sizes · 1-2 ft. and 2-3 ft.

CLAUDE BERNARD. Semi-double, mauve. Sizes 1-2 ft., 2-3 ft., 3-4 ft. and 4-5 ft.

CONGO. Wine-red (own roots. Size 2-3 ft.

De JUSSIEU. Double. Sizes 2-3 ft. and 3-4 ft.

DOYEN KETELEER. Medium to large. Violet, double. Size 1-2 ft. and 2-3 ft.

DR. MAILLOT. Medium to large. Pale pink, double. Late flowering. 1-2 ft. and 2-3 ft.

DR. MASTERS. Medium to large. Light violet, double to semi-double. Sizes 1-2 ft., 2-3 ft. and 3-4 ft.

ERZHERZOG JOHANN. Small sizes. Lavender, single. Sizes 2-3 ft.

GEHEIMRAT HEYDER. Medium sizes. Light purple, single. Size 2-3 ft.

**GEHEIMRAT** SINGELMANN. Medium sized. Pinkishlilac, single. Size 1-2 ft. and 2-3 ft.

HUGH KOSTER. Single, reddish lilac. Sizes 1-2 ft. and 2-3 ft.

HYBRID LILACS, Continued.

JAN VAN TOL. Single, purest white, free flowering. Sizes 2-3 ft. and 3-4 ft.

JEAN MACE. Double. Bluish-mauve. Sizes 1-2 ft., 2-3 ft., 3-4 ft. and 4-5 ft.

LAMARTINE. Single, rosy mauve. Large trusses. Sizes 1-2 ft. and 2-3 ft.

LE GAULOIS. Double, violet. Sizes 1-2 ft. and 2-3 ft.

LUDWIG SPAETH. Large panicles of dark red flowers. Sizes 1-2 ft. and 2-3 ft. (own roots).

MARC MICHELI. Large, double, lilac-purple. Size 1-2 ft. and 2-3 ft.

MARECHAL LANNES. Semi-double, bluish-violet. Sizes 1-2 ft. and 2-3 ft.

MARIE LEGRAYE. Single white. Sizes 1-2 ft. and 2-3 ft.

MICHEL BUCHNER. Pale lilac, large and very double. Sizes 1-2 ft., 2-3 ft., 3-4 ft. and 4-5 ft.

MIRABEAU. Single, rosy-lavender and very early. Sizes 2-3 ft. and 3-4 ft.

MME. ABEL CHATENAY. Double white, compact panicles. Sizes 1-2 ft. and 2-3 ft.

MME. CASIMIR PERIER. Double, pure white. Late. Sizes 1-2 ft. and 2-3 ft.

MME. LEMOINE. Double, large white flowers. Sizes 2-3 ft. and 3-4 ft.

M. VAN AERSCHOT. Single, pale mauve. Size 1-2 ft., 2-3 ft. and 3-4 ft.

PASCAL. Single, lilac. Sizes 1-2 ft., 3-4 ft. and 4-5 ft.

PRESIDENT GREVY. Double, deep blue, large trusses. Sizes 1-2 ft., 2-3 ft. and 3-4 ft.

PROFESSOR E. STOCKHARDT, Purplish lilac. Single. Sizes 2-3 ft. and 3-4 ft.

RED MARLEY (Rubra de Marley). Lilac-red, single. Sizes 1-2 ft., 2-3 ft. and 3-4 ft.

RENONCULE. Pale blue, double. Sizes 1-2 ft. and 2-3 ft. ROYAL BLUE. Sizes 2-3 ft. and 3-4 ft.

VAUBAN. Double, light mauve. Sizes 2-3 ft., 3-4 ft. and 4-5 ft.

VIRGINITE. Single, pure white. Sizes 2-3 ft. and 3-4 ft.

TAXODIUM, Baldcypress. Each 10 100 distichum, COMMON BALDCYPRESS. 45-150 ft. March-May. Light feathery foliage. Pyramidal habit.

2-3 ft. 1.00 9.00

TILIA, Linden.

americana, AMERICAN LINDEN. 60-125 ft. Creamy white. July. For avenue planting.

4-6 ft. 1.00 9.00 6-8 ft. 1.50 13.50

cordata, LITTLELEAF EUROPEAN LINDEN. 60-100 ft. Broadly pyramidal. Stands city conditions.

5-6 ft. 1.00 9.00 81.00 6-8 ft. 2.00 18.00 162.00

ULMUS, Elm.

americana, AMERICAN ELM. 60-120 ft.

5-6 ft. 1.00 9.00 81.00 6-8 ft. 1.50 13.50 120.00

1¾ in. to 2 in. cal.

8-10 ft. 2.50 22.50

2½ in. to 3 in. cal.

10-12 ft. 3.50 31.50

ULMUS, Continued.	Each	10	100
MOLINE. A vase-sh		useful for st	reet planting
$1\frac{1}{2}$ in. to $1\frac{3}{4}$ in 8-10 ft.		31.50	
1¾ in. to 2 in.			
10-12 ft. 2-3 in. cal.	5.00	45.00	
12-14 ft.	8.00		
pumila, CHINESE El			
Remarkably hardy 4-5 ft.	and fast grant .75	rowing. 6.75	60.00
	1.00		00.00
6-7 ft.	1.50	13.50	
8-10 ft.		18.00	
ACCINIUM, Blueberry			10 £±
white or pinkish.			
only on acid soils.			
12-18 in.	.40	3.60	32.00
18-24 in. 2-3 ft.	.60 .80	$\begin{array}{c} 5.40 \\ 7.20 \end{array}$	$48.00 \\ 64.00$
3-4 ft.	1.25	11.25	02.00
pallidum, BLUERIDO	SE BLUE	BERRY. 3-8	ft. White.
April. Large sweet		T 40	
12-18 in. 18-24 in.		$5.40 \\ 7.20$	
pannsylvanicum, LOV			6 in. to 2 ft
Greenish-white. A			
ornamental fruit as 3-6 in. Collected clu			
stamineum, DEERBE			
Green fruit.			
18-24 in. 2-3 ft.		6.75 $9.00$	
IBURNUM, Viburnum		0.00	
americanum, AMER		ANBERRYBU	SH. 8-12 ft
White. May-June.			
1-2 ft.	.40	3.60	$32.00 \\ 48.00$
3 · 4 ft.		7.20	40.00
carlesi, FRAGRANT	VIBURNU	M. 4-5 ft. S	oft pink.
April-May. The wa	axy flowers	are in dense	
and possess a mos			
18-24 in.			
	3.50		
cassinoides, WITHER Fruit pink, changin			June-July.
1-2 ft.		3.60	32.00
2-3 ft.	.60	6.40	48.00
	.75		60.00
4-5 ft. dentatum, ARROWW		9.00 ) ft. White.	81.00 May-June
Bushy shrub with			
2-3 ft. clum			39.00
3-4 ft. clum	_	$6.75 \\ 9.00$	60.00 81.00
lentago, NANNYBEF			•
The bluish-black fr	uit is cons	picuous.	
2-3 ft.		2.70	24.00
3-4 ft. 4-5 ft.	.50 .75	4.50 $6.75$	$\begin{array}{c} 39.00 \\ 60.00 \end{array}$
molle, KENTUCKY	VIBURNU	M. 8-12 ft.	White. June
Flaky bark and ligh			blue-black.
3-4 ft.	.60	5.40	

VIBURNUM, Continued. Each

10

100

opulus, EUROPEAN CRANBERRYBUSH. 8-12 ft. White. May-June.

2-3 ft.

.40

3.60

3-4 ft. .50 4.50

opulus nanum, DWARF CRANBERRYBUSH. 1-2 ft. Very dwarf, compact, small-leaved form; suitable for rockeries and very low hedges.

9-12 in.

.40

3.60

opulus sterile, COMMON SNOWBALL. 5-12 ft.

Sterile white flowers in large dense globular head.

2-3 ft.

.40

3.60

pubescens, DOWNY VIBURNUM. 8-10 ft. White. June-July. Clean growth, greyish-brown branchlets.

18-24 in.

.40

3.60

2-3 ft.

.50

4.50

sargenti, SARGENT CRANBERRYBUSH. 8-12 ft. White. June. Showy broad foliage.

2-3 ft.

.60

5.40

3-4 ft.

.80

7.20

WEIGELA, Weigela.

amabilis, ROSE WEIGELA. 3-6 ft. Rose. May-June.

Masses of funnel-shaped flowers in profusion.

18-24 in.

.30

2.70

rosea, PINK WEIGELA. 4-8 ft. Pink. May-June. Very showy.

18-24 in.

.30

2.70

VANHOUTTE. 6-8 ft. Deep pink. Attractive hybrid.

2-3 ft.

.40

3.60

ZANTHORHIZA, Yellowroot.

apiifolia, YELLOWROOT. 2-4 ft. Dark purple. April. Cut foliage, very handsome.

6-12 in.

.25

2.25

20.00



GARDEN STEPS.

Estate of William E. Schrafft, Winchester, Mass. Designed and planted by Harlan P. Kelsey, Inc.

```
VINES, CREEPERS AND CLIMBERS
ACTINIDIA, Actinidia. Each
                                     10
 arguta, BOWER ACTINIDIA. 30-50 ft. White.
   Vigorous. Thick shiny leaves. Large edible fruit.
          Strong Plants .60
                                   5.40
                                                48.00
AMPELOPSIS.
 quinquefolia, VIRGINIA CREEPER. 15-50 ft. July-August.
   Good for stone walls or on large trees.
          Strong plants .30
                                                24.00
 quinquefolia engelmanni, ENGELMANN CREEPER. 15-50
      Smaller leaves. Clings to walls.
          Strong plants .30
                                   2.70
                                                24.00
 tricuspidata (veitchi) JAPANESE CREEPER.
                                               25-100
   June-July. As a dense wall vine has few equals.
          Strong plants .30
                                   2.70
ARISTOLOCHIA.
 sipho, DUTCHMANS-PIPE. 15-50 ft. Purple. July.
   Rapid-growing vine. Curious pipe-like flowers.
          Strong Plants .75
BIGNONIA, Trumpetcreeper.
 radicans, TRUMPETCREEPER. 30 ft. Orange shades.
   August-September. Clinging by aerial roots.
          Strong Plants
                         .30
                                   2.70
CELASTRUS, Bittersweet.
 orbiculatus punctatus, CHRISTMAS BITTERSWEET.
   10-30 ft. Rapid-growing vine, climbing by twining.
   Bright orange pods split, disclosing scarlet seeds.
                         .40
            1-2 ft.
                                   3.60
            2-3 ft.
                         .60
                                   5.40
                                                48.00
CLEMATIS, Clematis.
 paniculata, SWEET AUTUMN CLEMATIS. 10-30 ft.
           September. Fragrant flowers in profusion.
          Strong Plants .40
                                   3.60
 virginiana, VIRGINSBOWER. 10-35 ft.
                                        White.
                                                August.
   Finely cut foliage, abundant flowers, fluffy fruit.
          Strong Plants .40
DIOSCOREA.
 villosa. White, with purple throat. June.
   Rampant spreading habit.
          Strong Plants
                                   2.70
                        .30
EUONYMUS, Euonymus.
 BABY WINTERCREEPER (Euonymus radicans minimus).
   1-6 ft. Very small notched leaves and slender stems.
   Can be clipped for miniature hedges.
   3 yr. Pot grown plants .40
                                    3.60
 radicans, WINTERCREEPER. 15-20 ft. Scarlet fruit.
   June-July. Evergreen clinging vine.
          Strong Plants. .40
                                    3.60
 radicans carrierei, GLOSSY WINTERCREEPER. 10-15 ft.
   Clinging vine with long pointed glossy leaves.
          Strong Plants .40
                                   3.60
  radicans colorata. 10-20 ft.
   Brilliant Autumn coloring.
          Strong Plants .40
                                   3.60
 radicans vegetus, BIGLEAF WINTERCREEPER. 3-20 ft.
   Dark green thick leaves.
          Strong Plants .40
                                   3.60
                                                32.00
 petiolaris, CLIMBING HYDRANGEA. 20-50 ft. White.
   July. Leaves, flowers and fragrance distinctive.
   1 yr. plants, 3 in. pots .60
                                    5.40
LONIRICA, Honeysuckle.
 japonica halliana, HALL JAPANESE HONEYSUCKLE.
```

5-20 ft. Strong growing, delightfully fragrant white

5.60

32.00

flowers changing to buff.
Strong Plants .4

LONICERA, Continued. Each 10 100 sempervirens, TRUMPET HONEYSUCKLE. 10-30 ft. May-September. A half-climbing shrub with dark green foliage. Long tubular flowers, orange yellow or scarlet. Strong Plants .40 LYCIUM. chinense, CHINESE MATRIMONYVINE. 6-18 ft. June-September. Vigorous woody vine for trellises or em-Purple flowers, scarlet or orange-red fruit. Strong Plants 3.60.40 ROSA, Rose. CLIMBING ROSES. .60 5.40 No. 1 ALIDA LOVETT. Bright shell pink. Midseason. AMERICAN BEAUTY. Dark pink shaded with smoky carmine. Fragrant. AMERICAN PILLAR. Large, single, brilliant crimson, with white center. Late. DR. HUEY. Semi-double. Deep crimson-maroon. Midseason. DR. VAN FLEET. Pale pink. Perfect foliage. Midseason. FLOWER OF FAIRFIELD. An improved crimson rambler. Early. Semi-double, orange-yellow, tinted copper-JACOTTE. red. Midseason. LADY GAY. Similar to Dorothy Perkins. Late. MARY WALLACE. Large, very bright pink double flowers illumined with shining gold. Early. MAX GRAF. A rugosa hybrid; large single pink. Midseason. PAUL'S SCARLET. Intense scarlet. Early. PRIMROSE. New yellow rambler. Vigorous habit. Healthy dark foliage. Free flowering. Mid-season. MOON. Long creamy buds, golden anthers. Large nearly single flowers in small sprays. Midseason. Double, creamy-white. Midseason to SNOWDRIFT. late. TAUSENDSCHON. Cup-shaped double flowers in large clusters, white to deep pink at the same time. Early. VEILCHENBLAU. Semi-double, purple-rose flowers. Midseason. WHITE DOROTHY. Small double flowers of creamy white. Late. SCHIZOPHRAGMA. hydrangeoides, JAPANESE HYDRANGEAVINE. July. Clings to walls. Showy dense foliage. Strong Plants 6.75.75WISTERIA, Wisteria. 20-30 ft. Lilac. multijuga, LONGCLUSTER WISTERIA. A very ornamental and popular vine. .60 5.40 1-2 ft. 7.202-3 ft. .80 sinensis, CHINESE WISTERIA. 35-50 ft. Purple. May-June. Long drooping panicles. 1-2 ft. 4.50 2-3 ft. 6.75.759.00 3-4 ft. 1.00 18.00 4-5 ft. 2.00 31.50 3.505-6 ft.

sinensis alba, WHITE CHINESE WISTERIA.

.50

.75

1.00

2.00

1-2 ft.

2-3 ft.

3-4 ft.

4-5 ft.

4.50

6.75

9.00

18.00

May-June. 39.00

60.00

## HARDY HERBACEOUS PERENNIALS

In this list will be found a collection of hardy herbacious perennials that will give a good succession of bloom from early Spring until late Autumn. Nearly all are of easy culture. The usual list of herbacious perennials offered in American catalogs can be secured and shipped with our stock, so that customers may feel safe in ordering and getting full collections, even if not priced below.

Single plants at one-half the three rate.

Approximate hight variety attains is given after the name.

F	Per 3	Per 10	Per 100
ACHILLEA, Pearl. 1-2 ft. Pure white in masses for cutting	.60	\$1.50	\$12.00
ACONITUM, Monkshood.  fischeri, Azure Monkshood, 5 ft. Sept.  Deepest blue heads of flowers	.90	2,25	18.00
AJUGA genevensis, Geneva Bugle. 6 in. Splendid blue-flowered ground cover.	.60	1.50	
ALTHAEA rosea, Hollyhock. 5 ft. June- July. Single and double varieties,			
mixed colors	.75	1.85	15.00
Goldentuft. 9-18 in. Masses of brilliant flowers in early Spring  AQUILEGIA canadensis, American Col-	.60	1.50	12.00
umbine. 2 ft. April. Shades of red. Fine for naturalizing	.60	1.50	12.00
ARABIS alpina, Alpine Rockcress. More upright than albida. Leaves greener			
but not so hairy. White flowers  ARENARIA verna caespitosa, Moss	.60	1.50	12.06
Sandwort. June-July. Dense moss-like growth with small white flowers on thread-like stems. For rock gardens and between stepping-stones.	60	1.50	12.00
ARMERIA cephalotes rubra. Shocks of narrow green leaves. Red blossoms	.00	1.00	12.00
in heads on erect stems  ASCLEPIAS tuberosa, Butterflyweed.	.60	1.50	12.00
1-2 ft. Bright orange flowers in late summer	.60	1.50	12.00
ASTER, Aster.  alpinus, Rock Aster. 6 in. June.  Dense low habit. White or lavender			
flowers	.75	1.85	15.00
ored variety. Hardy native, mixed varieties in colors	.75	1.85	15.00
tataricus, Tartarian Aster. 6 ft. Blue- violet. Very late	.75	1.85	15.00
BAPTISIA, Wild-indigo.  australis, Blue Wild-indigo. 4-6 ft.  Dark blue flowers like Lupins in			
Junetinctoria, Yellow Wild-indigo. 1-3 ft.	.90	2.25	18.00
Golden pea-shaped flowers in June.  BOCCONIA cordata, Pink Plumepoppy.  8 ft. Strong growing, large leaved	.60	1.50	12.00
with spikes of small pink-tinged plume-like flowers	.60	1.50	12.00

Per 3	Per 10	Per 100
BOLTONIA asteroides, White Boltonia. 8 ft. White aster-like flowers on tall		
	1.50	12.00
CALTHA palustris, Marshmarigold. 1 ft.		
April. Yellow flowers. Likes moisture	1.85	15.00
CAMPANULA, Bellflower.		
carpatica, Carpathian Bellflower. 1 ft. All summer. Tufted habit. Bright blue solitary bell-shaped erect flow- ers, 2 in. across	1.85	15.00
garganica. Similar to Carpathian Bell- flower but very dwarf with masses of star-like light blue flowers with white eves	2.25	18.00
white eyes	2,29	10.00
with pure white flowers	1.85	15.00
Compact growth	2.25	18.00
	1.50	12.00
glabra, White Turtlehead. 3 ft. August-September. White-toned pink		
flowers	2.25	18.00
September. Rosy-purple flowers; grows well in moist or dry ground90	2.25	18.00



### CHRYSANTHEMUM COREANUM

CHRYSANTHEMUM, Chrysanthemum.

C	oreanum, Korean Chrysanthemum.			
	2-4 ft. October-December. Large			
	white flowers with golden center,			
	often turning to a light claret pink.			
	Blooms profusely. Our introduction.			
	Clumps	.90	2.25	18.00
	Strong Plants	.60	1.50	12.00

		D 10	70 400
	er 3	Per 10	Per 100
ley. 6-8 in. One of our best ground	40	1.00	0.00
covers for shady places. Strong pips. COREOPSIS, Coreopsis.	.40	1.00	8.00
grandiflora, Big Coreopsis. 1-2 ft.			
June-Autumn. Masses of golden			
blossoms	.60	1.50	12.00
rosea, Rose Coreopsis. 1 ft. Finely-			
cut foliage, with dainty rose-pink blooms	.60	1.50	12.00
CYPRIPEDIUM, Ladyslipper.			
acaule, Pink Ladyslipper. 15 in. June.			
Clear pink. Long-stemmed, inter-	0.0	9.05	10.00
esting flowers  DELPHINIUM, Larkspur. Fine mixed	.90	2.25	18.00
hybrid varieties	.90	. 2.25	18.00
DIANTHUS, Pink.			
barbatus, Sweet William. 1-2 ft.			
Summer	.40	1.00	8.00
caesius, Cheddar Pink. June. Dwarf hardy garden pink. Rose-pink flow-			
ers	.75	1.85	15.00
Furst Bismark. June-September.			
Double red-pink flowers, very frag-	75	1 05	15.00
plumarius, Grass Pink. 1 ft. June.		1.00	19.00
Fragrant rose-purple fringed flowers			
rising from thick tufts of bluish-			
green foliage	.75	1.85	15.00
beart. 12-18 in. All Summer. Beau-			
tifully cut foliage, dainty pink-pur-			
ple flowers		2.25	18.00
spectabilis, Bleedingheart. 3 ft. April.  Pendant heart-shaped flowers. Pink			
and White	1.50	3.75	
DIGITALIS purpurea, Common Foxglove.			
Fine purple-flowered variety	.75	1.85	15.00
DRABA subamplexicaulus, Whitlow-			
grass. Tufted perennial with allyssum-like flowers. 6 in. April	1.50	3.75	
EUPATORIUM purpurum, Joe-pye-weed.			
3-6 ft. Splendid purple flowers in			
late Summer	.75	1.85	15.00
FERNS.  Hardy ferns are very useful for			
massed plantings, particularly in			
shady locations. Many varieties can			
be used for edging shady walks, and			
some of the smaller types will suitably fill in little nooks in the rock			
garden. Information on varieties			
listed and regarding other varieties			
obtainable will be gladly given.			
Adiantum pedatum, American Maiden-	1 00	2.50	20.00
hair	1.00	2.50	20.00
1-3 ft	.90	2,25	18.00
Dennstedtia punctilobula, Hayscented			
Fern. 20-40 in	.90	2.25	18.00

FERNS, Continued.	er 3	Per 10	Per 100
Dryopteris (Aspidium) Woodfern mar-			
ginalis, Leather Woodfern. 1-2 ft	.90	2.25	18.00
noveboracensis, New York Fern.			
1-2 ft	.90	2.25	18.00
spinulosa, Toothed Woodfern	.90	2.25	18.00
thelypteris, Marshfern	.90	2.25	18.00
Onoclea sensibilis, Sensitive Fern.			
1-4½ ft	.90	2.25	18.00
Osmunda cinnamomea, Cinnamon			9
Fern. 1-5 ft 1	1.00	2.50	20.00
claytoniana, Interrupted Fern. 2-6 ft. 1	1.00	2.50	20.00
regalis, Royal Fern. 2-6 ft 1	1.00	2.50	20.00
Polypodium vulgare, Common Polypody.			
3-10 in	.90	2.25	18.00
Polystichum acrostichoides, Christmas			
Fern	.90	2.25	18.00
Pteretis nodulosa, Ostrich Fern	.90	2.25	18.00
GALAX aphylla, Galax (see Broadleaf Ev	vergi	reens).	
HABENARIA ciliaris, Yellow Fringeorchi			
9-18 in. Striking orange-yellow heads	a.		
in July and August	1.50	3.75	
HEMEROCALLIS, Daylily.	1.00	0,10	
	0.0	0.05	10.00
flava, Lemon Daylily. 3 ft. Fragrant	.90	2.25	18.00
fulva, Tauny Daylily. 2-4 ft. Reddish	0.0	0.0#	10.00
orange. May-June	.90	2.25	
middendorffi, Amur Daylily (clumps)	.90	2.25	
thunbergi, Japanese Daylily. 12-18 in.			
Lemon-yellow. July-August	.90	2.25	18.00
HEPATICA triloba, Roundlobe Hepatica.			
6 in. Lovely lavender, blue or white.			
Spring bloomer	.75	1.85	15.00
HEUCHERA, Alumroot.			
americana, American Alumroot. 10-15			
in. White. June-July. Good rock			
plant with heart-shaped foliage with			
brown-red marking	.75	1.85	15.00
sanguinea, Coralbells. 1 ft. June-			
August. Long-stemmed, graceful			
clustered scarlet flowers	.75	1.85	15.00
HIBISCUS moscheutos, Rose-Mallow.			
3-6 ft. July-August. Large holly-			
hocklike flowers along stems. Heart-			
shaped leaves	.75	1.85	15.00
HOSTA, Plantainlily.			
caerulea, Blue Plantainlily. 1-2 ft.			
Deep or pale blue. July-August	.90	2.25	18.00
HOUSTONIA, Houstonia.			
serpylifolia, Creeping Bluets. 3-5 in.			
April-May. Forms little tufts with			
tiny evergreen leaves. Mass of deli-			
cate blue and white flowers	.90	2.25	18.00
HYACINTHUS candicans (Galtonia).			
·			
Summer Hyacinth. 2-4 ft. July-August. Wide bell-shaped white flow-			
ers. Plant in Spring—bulbs remain			
in ground indefinitely. Selected strain	.60	1.50	12.00
HYPOXIS hirsuta, Goldeye Grass	.60		
TITEONIS MITSULA, Goldeye Grass	.00	2.00	

ristata, Crested Iris. 3-6 in. Exquisite dwarf, pale blue. May
germanica, German Iris.  DALMATICA (Pallida dalmatica). 2-3 ft. Tall stemmed. Lavender. Very fine
DALMATICA (Pallida dalmatica). 2-3 ft. Tall stemmed. Lavender. Very fine
2-3 ft. Tall stemmed. Lavender. Very fine
kaempferi, Japanese Iris. Finest mixed colors. 2-3 ft
pseudacorus, Yellowflag Iris. 3-4 ft. Bright yellow. Tall conspicuous leaves, fine for shrubberies. May- June
Bright yellow. Tall conspicuous leaves, fine for shrubberies. May-June
siberica, Siberian Iris. 1-2 ft. Lilacblue. Slender foliage
versicolor, Blueflag Iris. 20 in. Native near streams and in swamps. Light purple flowers. Spring and early Summer
purple flowers. Spring and early Summer
pycnostachya, Cattail Gayfeather. 3-5 ft. Spikes of pale purple flowers. Fine for border. August-October90 2.25 18.  spicata, Spike Gayfeather. 3-5 ft. Purplish-blue flowers in dense spikes. August-October
ft. Spikes of pale purple flowers. Fine for border. August-October
Fine for border. August-October
plish-blue flowers in dense spikes. August-October
canadense, Canada Lily. 4 ft. Beautiful yellow native Lily. August
tiful yellow native Lily. August90 2.25  carolinianum, Carolina Lily. 3 ft. Frag- rant orange-red flowers in July 1.50 3.75  grayi, Grays Lily. 1-3 ft. Bell-shaped pendulous flowers. A deep reddish-
rant orange-red flowers in July 1.50 3.75  grayi, Grays Lily. 1-3 ft. Bell-shaped pendulous flowers. A deep reddish-
pendulous flowers. A deep reddish-
brown outside. June-July. Intro-
duced by Harlan P. Kelsey 1.50 3.75  philadelphicum, Orangecup Lily. 2 ft.
July. Flaring upright red flowers90 2.25 regale, Royal Lily. 4-6 ft. Showy
Summer-blooming Lily. The frag- rant flowers are 4-6 in. long, white inside, lilac and purple outside. July.
4-5 in. circum
4-8 ft. Orange-scarlet to red, spotted inside. July
tigrinum, Tiger Lily. 2-5 ft. Orange- red with purple-black spots. June-
July
nummularia, Moneywort. 2-4 in. Fine ground cover. Intense yellow flow-
ers. June-July
1-3 ft. Brilliant crimson, fragrant.  July-August
NEPETA mussini. 18 in. Blue flowers, dark spotted, clustered on long ra-
cemes. Hairy foliage
orchis spectabilis, Showy Orchis. 6-8 in. Dainty and rare Orchid with bright pink flowers. May-June 1.50 3.75

PENTSTEMON, Pentstemon. Policy Pentstemon. Pentstemon.	er 3	Per 10	Per 100
stemon. 3 ft. July. Huge heads of			
pure white Foxglove-like flowers	.90	2,25	18.00
PHLOX, Phlox.			
divaricata, Blue Phlox. 6-10 in. Pink-			
ish blue. April	.75	1.85	15.00
stolonifera, Creeping Phlox. Small	0.0	• 0-	10.00
clusters of purple and violet flowers.	.90	2.25	18.00
subulata "Vivid," Moss Phlox. 3-4 in.	1 00	0 = 0	00.00
Vivid clear pink. April-May	1.00	2.50	20.00
White Moss (subulata alba). 3-4 in.	75	4.05	15.00
	.75	<b>1.</b> 85	19.00
NAMED HYBRIDS of Phlox paniculata	.90	2.25	18.00
Atlas. Salmon-pink	.90	4,49	18.00
darker eye	.90	2.25	18.00
Enchantress. Bright salmon-pink.	.90	2.25	
Firebrand. Orange-scarlet	.90	2.25	
Marechal French. Deep scarlet with			
blood-red eye	.90	2.25	18.00
Miss Lingard. White, faint blush			
center	.90	2.25	18.00-
Mrs. Millie von Hoboken. Large,			
soft pink	.90	2.25	18.00
Mrs. Scholten. Deep blood-red	.90	2.25	18.00
Nicholas Flammell. Bright carmine-			
like, crimson eye, suffused salmon	.90	2.25	18.00
Rheinlander. Salmon-pink with			
claret eye	.90	2.25	18.00
PHYSOSTEGIA, False Dragonhead.			
virginiana rosea. 3 ft. New rose-col-			
colored variety. Rare	1.50	3.75	
POLYGONATUM commutatum, Great			
Solomon-seal. Arching spray of			
foliage, hung with white bells	.90	2.25	18.00
SAPONARIA ocymoides, Rock Soapwort.			
April-July. Creeping habit, bright			
pink flowers	.75	1.85	15.00
SAXIFRAGA cordifolia, Heartleaf Saxi-			
frage. 12-18 in. Large thick foliage			
and purple flowers in April-May. For		0.50	00.00
rockeries	1.00	2.50	20.00
SEDUM, Stonecrop. A most useful class			
of rock-garden material for ground			
covering and other purposes. Inter-			
esting in its variety of foliage, flower and effect of habits in growth. Un-			•
usually fine list and true to name.			
acre, Goldmoss. Yellow. May-June	.40	1.00	8.00
·			
aizoon, Aizoon Stonecrop	.00	1.50	14.00
alboroseum, Blush Stonecrop. 2 ft.	60	1.50	12.00
White to light pink. Summer	.60	1.50	14.00
alboroseum varigatum. Variegated	co	1.50	12.00
foliage		1.50	12.00
album, White Stonecrop. 8 in. Creep-			
ing evergreen mat with white flowers. Summer	.40	1.00	8.00
		1.00	0.00
anopetalum. 9 in. Whitish, rarely yellow. June-July		1.50	12.00
·			
cristatum	.00	1.00	12.00

,	Don 9	Don 10	Per 100
	er s	1 er 10	Per 100
ellacombianum. 6 in. Clustered yel-			
low flowers over half-inch across.			4 5 00
Summer		1.85	15.00
ewersi, Ewers Stonecrop. Low and			
half-trailing. Ruby-crimson. Flower			
stems to one foot	.90	2.25	18.00
fosterianum, 6 in. Green foliage.			
Yellow flowers. Summer		1.50	12.00
	.00	1.00	12.00
hybridum, Hybrid Stonecrop. 6 in.			
Creeping, mat-like. Yellow, Spring			
and late Summer	.60	1.50	12.00
lydium, Lydian Stonecrop. Needlelike			
foliage. Pink. June	.40	1.00	8.00
monregalense, Monreale Stonecrop.			
8 in. Whitish. July	.60	1.50	12.00
	.00	1.00	12.00
opposifitolium, Two-row Stonecrop.			
Trailing. Pinkish white petals.			
Paired leaves, blunt tipped. Summer.	.60	1.50	12.00
reflexum, Jenning Stonecrop. 9 in.			
Bright yellow. June-July	.60	1.50	12.00
rupestre. 10 in. Glaucous. Brilliant			
•	co	1 50	19.00
golden flowers. Summer	.60	1.50	12.00
sarmentosum, Stringy Stonecrop. 4 in.			
Creeping. Yellow. Summer	.40	1.00	8.00
sexangulare, Hexagon Stonecrop. 2 in.			
Similar to acre but more brilliant			
yellow. May-June	.75	1.85	15.00
sieboldi, Siebold Stonecrop	.60	1.50	12.00
spectabile, Showy Stonecrop. 1 ft.			
Flat pink heads. August	.75	1.85	15.00
spurium	.60	1.50	12.00
stenopetalum. July. Creeping. Lemon-			
	.90	2.25	18.00
yellow blossoms	.00	<i>≟, ≟ ⊕</i>	10.00
stoloniferum, Running Stonecrop.			
Creeping, flesh-pink. Early Summer.	.40	1.00	8.00
stoloniferum coccineum, Scarlet Run-			
ning Stonecrop. Scarlet. Early Sum-			
mer	.60	1.50	12.00
	.00	1.50	12.00
SEMPERVIVUM, Houseleek.			
alberti. 2 in. Evergreen, creeping.			
White flowers in early Summer	.75	1.85	15.00
arachnoideum, Spiderweb Houseleek.			
4-6 in. Bright red. Summer	.75	1.85	15.00
globiferum, Globe Houseleek. 1 ft.	•••		
Rosettes to 3 in. across. Flowers			
	co	1 50	12.00
pale yellow. Summer	.60	1.50	12.00
tectorum, Roof Houseleek. 6-9 in.		A	
Pale red. Summer	.60	1.50	12.00
SHORTIA galacifolia, Oconee-bells.			
(See broadleaf evergreens.)			
SILENE acaulis, Moss Campion. May-			
June. Masses of clear pink flowers.	.90	2.25	18.00
alpestris, Alpine Catchfly. May-June.			
Masses of white flowers. Prefers			
moist location	.90	2.25	18.00
STATICE PSEUDOARMERIA, False			
Thrift. Pink blossoms on erect			
	co	1.50	19.00
stems, narrow green leaves	.00	1.50	12.00
STENANTHIUM robustum, Feather-			
fleece. 5 ft. Attractive native from			
Pennsylvania south. Compound pan-			
icles of white flowers, 2 ft. or longer.			
Introduced by Harlan P. Kelsey	1.50	3.75	
introduced by fairan in theme, in			

Per 3	Per 10	Per 100
THALICTRUM polygamum, Tall Meadowrue. 7 ft. July. Huge white clustered flower heads over showy		
foliage	2.25	18.09
flowers in June or July	1.85	15.00
THYMUS, Thyme.  serpyllum album. Prostrate and creep-		
ing. White flowers. June-September75	1.85	15.00
serpyllum coccineus, Crimson Thyme.		,
Prostrate. Crimson flowers. June- September	1.85	15.00
serpylium lanuginosus, Woolly Thyme. Prostrate. Purple flowers. Grey		20.00
woolly foliage. June-September75	1.85	15.00
vulgaris, Common Thyme. 8-10 in. Lilac or purple flowers. May-June75	1.85	15.00
Lilac or purple flowers. May-June75 TRILLIUM, Trillium.	1.85	15.00
gradiflorum, Snow Trillium. 8-18 in.		
White turning pink	1.50	12.00
	1.85	15.00
VERONICA, Speedwell.		
repens, Creeping Speedwell. Dense vivid green carpet. Abundance of pale blue flowers. All summer75	1.85	15.00
saxatilis. 6 in. Shrubby. Flower pale blue to pale pink. Summer 1.50		
teucrium, Royal Blue. 1 ft. Improved variety with deep blue flowers.  Summer	2.25	18.00
tucrium prostrate, Harebell Speedwell.	2.20	15.00
Nearly prostrate. Flowers blue in		
long racemes. Summer	2.25	18.00
teudrium rupestris. Dwarf form. Beautiful blue flowers in Summer90	2,25	18.00
teucrium rupestris rosea. Dwarf form.		
Pink flowers. Summer	2.25	18.00
VIOLA, Viola.  Jersey Gem. 6-8 in. Clear deep blue.		
Fine long stems. April-August75	1.85	15.00
pedata, Birdsfoot Violet. 3-6 in. Light		
blue. April-May	1.50	12.00
deep velvety purple90	2.25	18.00
tricolor, Common Pansy	1.00	8.00
White Jersey Gem. 6-8 in. Pure white sport of Viola Jersey Gem 1.00	2.50	20.00

#### BEFORE ORDERING

Please read carefully the Instructions for Placing Orders on Page 2, and remember that WHEN CASH ACCOMPANIES ORDER a discount of 10 per cent may be taken.

Five plants of same variety and size at the 10 rate, 25 at the 100 rate.

## INDEX

Abies		Name 1 age
Autes	4 Coreopsis50	Hornbeam22
Acer1	7 Corktree35	Hosta51
Achillea4		Houseleek54
Achinea		Houstonia51
Aconitum4	8 Corylus29	
Actinidia4	6 Cotoneaster13, 24	Huckleberry28
Ailanthus1	8 Crab, Flowering 33	Hyacinth51
Ajuga4		Hyacinthus51
Almond3		Hydrangea29
Almond		Hydrangeavine. 47
Althaea4	8 Cydonia $\dots 26$	nyurangeavme. 47
Alumroot5	1 Cypress 5	Hypericum30
Alyssum4	8 Cypripedium50	Hypoxin51
Amelanchier1	8 Cytisus26	
		Ilex14, 30
Amorpha1		
Ampelopsis4	6 Daisy62	Indigo30
Andromeda15, 3	7 Daphne13, $26$	Indigobush18
Aquilegia4	8 Daylily51	Indigofera30
Arabis4		Inkberry14
Arabis		
Aralia1		Iris52
Arborvitae	9 _ stick19	
Arctostaphylos1	2 Deerberry44	Joe-pye-weed50
Arenaria4	8 Deutzia26	Juniper 5
Aristolochia4		True
Aristolochia4		Juniperus 5
Armeria4		
Aronia1	9 Diervilla $\dots 26$	Kalmia14
Arrowwood4	4 Digitalisbu	Kolkwitzia30
Artemisia1		IXOIIXWITZIA00
Agalonia		
Asclepias4	8 Dogwood39 8 Dogwood23	Labrador-tea14
Aster4		Ladyslipper50
Azalea1	9 Douglashr 9	Lambkill14
	Draba50	Touch14
Doldovnyoga		Larch30
Baldcypress4		Larix30
Baptisia4	8 T31 97	Larkspur50
Barberry12, 2	Elaeagnus27	Ledum14
Bayberry3	5 EAM43	Leiophyllum14
Bearberry1	2 Elsholtzia27	Tarasatha 14 01
Beautybush3	Enkianthus27	Leucothoe14, 31
Beautybush		Liatris52
Beebalm5		Ligustrum31
Beech2	8 Erica	Lilac41
Bellflower4	9 Euonymus21, 46	Lilium52
Berberis12, 2	1 Eupatorium50	T :1 70
Betula2		Lily52
Detula		Lily-of-the-
Bignonia4	1 Fagus28	Valley50
Birch2		Linden43
Bittersweet4	6 Faise-gragon-	Locust39
Bladder-senna2	$3$ head $\dots 53$	Lonicera31, 46
Bleedingheart5		Lonicera
Bleedingheart		Losestrife52
Blueberry4		Lycium47
Bluets5		Lysimachia52
Bocconia4	8 Featherfleece54	223 8211100011100 1111100 2
	9 Ferns	Magnatia 20
Roltonia4		Magnolia32
Boltonia4	6 Fir 4	
Boltonia	$6  \text{Fir}  \dots  4$	Maidenhair,
Broom	6 Fir	Maidenhair, American50
Boltonia	6 Fir	Maidenhair, American50 Malus 33
Boltonia	6 Fir 4 1 Forsythia	Malus33
Boltonia	6 Fir	Malus33 Maple17
Boltonia	6 Fir	Malus33 Maple17 Marshmarigold49
Boltonia	6 Fir	Malus
Boltonia	6       Fir	Malus
Boltonia	6       Fir        4         1       Forsythia        28         8       Fothergilla        28         8       Foxglove           7       Fringe-orchid           6       Fringe-tree           1       Galax           2       Gayfeather           9       Gaylussacia           1       Gleditsia	Malus
Boltonia	6 Fir	Malus
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48	Malus 33 Maple 17 Marshmarigold 49 Matrimonyvine 47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana	6 Fir	Malus
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53	Malus
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus	6 Fir	Malus
Boltonia	6       Fir        4         1       Forsythia           8       Fothergilla           8       Foxglove           7       Fringe-orchid           6       Fringe-tree           2       Galax           2       Gayfeather           9       Gaylussacia           1       Goldentuft           2       Goldentuft           2       Goldmoss           3       Habenaria	Malus
Boltonia	6       Fir        4         1       Forsythia           8       Fothergilla           8       Foxglove           7       Fringe-orchid           6       Fringe-tree           2       Galax           2       Gayfeather           9       Gaylussacia           1       Goldentuft           2       Goldentuft           2       Goldmoss           3       Habenaria           4       Halesia	Malus 33 Maple 17 Marshmarigold 49 Matrimonyvine 47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel 14 Myrica 35
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium	6       Fir	Malus
Boltonia	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         4       Halesia       29         4       Hamamelis       29	Malus 33 Maple 17 Marshmarigold 49 Matrimonyvine 47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel 14 Myrica 35  Nannyberry 44 Nepeta 52
Boltonia	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         9       Halesia       29         1       Hamamelis       29         1       Hardhack       40	Malus 33 Maple 17 Marshmarigold 49 Matrimonyvine 47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel 14 Myrica 35  Nannyberry 44 Nepeta 52
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         4       Halesia       29         4       Hamamelis       29         5       Hardhack       40         9       Hawthorn       25	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue .55 Mitchella 14 Mockorange .36 Monarda 52 Moneywort .57 Monkshood .48 Mountainash .40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         12       Goldeye-grass       51         12       Goldmoss       53         3       Habenaria       51         9       Halesia       29         4       Hamamelis       29         5       Hardhack       40         9       Hawthorn       25         7       Hazelnut       23	Malus 33 Maple 17 Marshmarigold 49 Matrimonyvine 47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel 14 Myrica 35  Nannyberry 44 Nepeta 52
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry	6 Fir 4 1 Forsythia	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36 Nyssa 35
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         12       Goldeye-grass       51         12       Goldmoss       53         3       Habenaria       51         9       Halesia       29         14       Hamamelis       29         15       Hardhack       40         19       Hawthorn       25         17       Hazelnut       23         14       14	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36 Nyssa 35
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         12       Goldeye-grass       51         20       Goldmoss       53         3       Habenaria       51         9       Halesia       29         2       Hamamelis       29         4       Hawthorn       25         7       Hazelnut       23         12       Heath       14         12       Heath       14         12       Heather       12	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36 Nyssa 35  Oak 38 Oconee-bells 16
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         12       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         4       Halesia       29         5       Hardhack       40         9       Hawthorn       25         7       Hazelnut       23         12       Heath       14         12       Heath       14         12       Hemerocallis       51	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36 Nyssa 35  Oak 38 Oconee-bells 16
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         4       Haesia       29         5       Hardhack       40         9       Hawthorn       25         7       Hazelnut       23         12       Heath       14         14       Heather       12         15       Hemerocallis       51         16       Hemlock       10	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36 Nyssa 35  Oak 38 Oconee-bells 16 Oesculus 18
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil. 15, 5	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         12       Goldeye-grass       51         13       Habenaria       51         14       Habenaria       29         15       Hamamelis       29         16       Hawthorn       25         17       Hazelnut       23         18       Heath       14         19       Heather       12         19       Hemerocallis       51         19       Hepatica       51	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36 Nyssa 35  Oak 38 Oconee-bells 16 Oesculus 18 Orchid 57
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil. 15, 5	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         4       Halesia       29         5       Hardhack       40         9       Hawthorn       25         10       Hazelnut       23         12       Heath       14         14       Heather       12         15       Hemlock       10         16       Hepatica       51         17       Heuchera       51	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36 Nyssa 35  Oak 38 Oconee-bells 16 Oesculus 18 Orchid 57 Orchis 52
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil. 15, 5 Cladrastis	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         9       Halesia       29         40       Hawthorn       25         41       Hawthorn       25         42       Heath       14         43       Heath       14         44       Heather       12         45       Hemlock       10         46       Hepatica       51         47       Heuchera       51         48       Heuchera       51	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36 Nyssa 35  Oak 38 Oconee-bells 16 Oesculus 18 Orchid 57 Orchis 52 Ostrya 35
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil15, Cladrastis Clematis	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         9       Halesia       29         10       Hawthorn       25         10       Hawthorn       25         12       Heath       14         12       Heath       14         13       Hemlock       10         14       Hepatica       51         15       Heuchera       51         16       Hibiscus       29       51	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36 Nyssa 35  Oak 38 Oconee-bells 16 Oesculus 18 Orchid 57 Orchis 52 Ostrya 35
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil15, Cladrastis Clematis Clethra	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         9       Halesia       29         10       Hawthorn       25         10       Hawthorn       25         12       Heath       14         12       Heath       14         13       Hemlock       10         14       Hepatica       51         15       Heuchera       51         16       Hibiscus       29       51         16       Hibiscus       29       51         16       Hibiscus       29       51	Malus 33 Maple 17 Marshmarigold .49 Matrimonyvine .47 Meadowrue 55 Mitchella 14 Mockorange 36 Monarda 52 Moneywort 57 Monkshood 48 Mountainash 40 Mountainlaurel .14 Myrica 35  Nannyberry 44 Nepeta 52 Ninebark 36 Nyssa 35  Oak 38 Oconee-bells 16 Oesculus 18 Orchid 57 Orchis 52
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil Cladrastis Clematis Clethra Columbine	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         12       Goldeye-grass       51         12       Goldeye-grass       53         3       Habenaria       51         9       Halesia       29         10       Hawthorn       25         14       Hawthorn       25         14       Heath       14         12       Heather       12         12       Heather       12         13       Hemlock       10         14       Heyatica       51         15       Heuchera       51         16       Hibiscus       29       51         16       Hibiscus       29       51         16	Malus       33         Maple       17         Marshmarigold       49         Matrimonyvine       47         Meadowrue       55         Mitchella       14         Mockorange       36         Monarda       52         Moneywort       57         Monkshood       48         Mountainash       40         Mountainlaurel       14         Myrica       35         Nannyberry       44         Nepeta       52         Ninebark       36         Nyssa       35         Oak       38         Oconee-bells       16         Oesculus       18         Orchid       57         Orchis       52         Ostrya       35         Oxydendrum       35
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil. 15, Cladrastis Clematis Clethra Columbine Colutea	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldeye-grass       53         3       Habenaria       51         9       Halesia       29         10       Hardhack       40         19       Hardhack       40         19       Hawthorn       25         10       Heather       12         12       Heather       12         12       Hemlock       10         10       Hepatica       51         12       Holly       14         12       Holly       14         12       Holly       14         12       Holly       14	Malus       33         Maple       17         Marshmarigold       49         Matrimonyvine       47         Meadowrue       55         Mitchella       14         Mockorange       36         Monarda       52         Moneywort       57         Monkshood       48         Mountainash       40         Mountainlaurel       14         Myrica       35         Nannyberry       44         Nepeta       52         Ninebark       36         Nyssa       35         Oak       38         Oconee-bells       16         Oesculus       18         Orchid       57         Orchis       52         Ostrya       35         Oxydendrum       35         Pachistima       14
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil. 15, Cladrastis Clematis Clethra Columbine Colutea	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         4       Habenaria       29         5       Hardhack       40         9       Hawthorn       25         10       Hawthorn       25         10       Heath       14         12       Heath       14         13       Hemlock       10         14       Hepatica       51         15       Heuchera       51         16       Hibiscus       29         51       Holly       14         16       Hibiscus       29	Malus
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil. 15, Cladrastis Clematis Clethra Columbine Colutea Convallaria	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         9       Halesia       29         10       Hamamelis       29         10       Hawthorn       25         10       Hawthorn       25         10       Heather       12         12       Heather       12         13       Hemlock       10         14       Hepatica       51         16       Hibiscus       29         51       Holly       14         16       Hibiscus       29         51       Holly       14 <td>Malus</td>	Malus
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chinquapin Chokeberry Chinquapin Chokeberry Chinquapin Chokeberry Chinquapin Chokeberry Chinquapin Chokeberry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil Clethra Columbine Colutea Convallaria Coralbells	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         9       Halesia       29         1       Hamamelis       29         1       Hawthorn       25         1       Heath       14         1       Heather       12         1       Hemlock       10         1       Hepatica       51         1       Heuchera       51         1       Holly       14         2       Holly       14         3       Holly       14         4       14         4	Malus
Boltonia Broom Buddleia Buckthorn Bugle Burningbush Bushhoneysuckle Butterflybush Calluna Caltha Calycanthus Campanula Caragana Carpinus Castanea Celastrus Cerastium Cercis Chamaecyparis Chelone Cherry Chinquapin Chionanthus Chokeberry Chrysanthemum Cinquefoil. 15, Cladrastis Clematis Clethra Columbine Colutea Convallaria	6       Fir       4         1       Forsythia       28         8       Fothergilla       28         8       Foxglove       50         7       Fringe-orchid       51         6       Fringe-tree       22         1       Galax       14         2       Gayfeather       52         9       Gaylussacia       28         1       Gleditsia       29         9       Goldentuft       48         2       Goldeye-grass       51         2       Goldmoss       53         3       Habenaria       51         9       Halesia       29         1       Hamamelis       29         1       Hawthorn       25         1       Heath       14         1       Heather       12         1       Hemlock       10         1       Hepatica       51         1       Heuchera       51         1       Holly       14         2       Holly       14         3       Holly       14         4       14         4	Malus

## INDEX

Name Page	Name Page	e Name Page
Pearlbush28	Rubus40	Taxus 9
Pea-shrub22	Russian-olive27	Thalictrum55
Peatree22		Thermopsis55
Pentstemon53	Salix40	
Periwinkle16	Sandmyrtle14	
Phellodendron35	Sandwort48	
Philadelphus36 Phlox53	Saponaria55 Savin5	
Photinia36	Saxifraga53	
Physostegia53	Saxifrage58	Trillium55
Physocarpus36	Schizophragma47	
Picea 6	Sedum5	
Pieris15, 37	Sempervivum54	Tunica55
Pine 8	Shadblow18	Tunicflower55
Pink50	Shortia16	Tupelo35
Pinus 8	Shrub-althea29	Turtlehead49
Pinxterbloom20	Silene54	<b>`</b>
Plantainlily51	Silverbell29	$\mathbf{C}$
Plum37	Smoketree39 Snowball49	
Plumepoppy48 Polygonatum53	Snowberry4	) 
Polypody51	Snowberry4. Snowberry4.	vaccinium44
Poplar37	gea29	Veronica55
Populus37	Snow-in-summer 49	Viburnum44
Potentilla15, 37	Soapwort5	$_{ m Ninca}$
Privet31	Solomonseal53	
Pseudotsuga 9	Sorbaria40	
Prunus37	Sorbus4	
	Sourwood3	TIT II
Quercus38	Speedwell5	Wallcress60
Quince, Flower-	Spiraea4: Spirea4:	
ing26	Spruce	
Raspberry, Flow-		
ering40	St. Johnswort3	
Redcedar 5	Stenanthium5	
Redhead22	Stonecrop5	
Retinospora b	Sumac3	
Rhamnus38	Summersweet2	
Rhododendron15	Sweetbay3	Witherod44 Wormwood19
Rhodora38	Sweetbells3	1 Wormwood19
Rhus39	Sweetbrier49	
Robinia39	Sweetshrub23 Sweet-william50	
Rockcress 48 Rosa 39, 47	Symphoricarpos 4	
Rose39, 47	Symphorical pos 4: Syringa4	
Roseacacia39		
Rosemallow. 29, 51	Taxodium4	3 Zanthorhiza45



10%

discount to Landscape Architects, Parks, Cemeteries and Other Public Institutions HARLAN P. KELSEY



## Hardy New England Grown BEST BY TEST



# HARLAN P. KELSEY, INC. KELSEY-HIGHLANDS NURSERY East Boxford, Massachusetts



MEMBER

American Association of Nurserymen

New England Nurserymen's Association

Massachusetts Nurserymen's Association